



**JAPANESE TECHNOLOGY, EUROPEAN DESIGN,
U.S. POWER!**

FAVORITE HAS COME A LONG WAY IN JUST TEN YEARS. STARTED IN 2006 BY THE IBIS COMPANY, THE UKRAINIAN BUSINESS BASED IN KIEV, HAS BECOME ONE OF THE BEST-KNOWN FISHING TACKLE AND ROD MANUFACTURERS IN THE WORLD. AS FAVORITE CO AND FAVORITE FISHING USA ARE NOW A MULTINATIONAL OPERATION THAT HAS HEADQUARTERS IN THE UKRAINE, NORTH AMERICA AND JAPAN, ALONGSIDE A SUBSIDIARY PRODUCTION BASE IN SOUTH-EAST ASIA. THE KEY REASON FOR A SUCCESS IS THE ABILITY TO OFFER THE LOWEST PRICES ON THE MARKET WITH THE HIGHEST QUALITY OF WORKMANSHIP AND DESIGN. THIS HAS BEEN DELIVERED THROUGH AN EFFICIENT BUSINESS MODEL THAT INCLUDES ECONOMY OF SCALE AND DIRECT COOPERATION AND DELIVERIES FROM THE SUBSIDIARY FACTORIES. OTHER STAND-OUT FEATURES INCLUDE:

- FLEXIBLE R&D THAT CAN DELIVER QUICKLY AND EFFICIENTLY ANY NEW PRODUCT AS SOON AS A NEED HAS BEEN ESTABLISHED WITHIN A PARTICULAR MARKET;
- MRSP AND MAP PRICE CONTROLS;
- MARKETING, PROMOTION AND SERVICE;
- JAPANESE TECHNOLOGIES, EUROPEAN DESIGN, US POWER;
- BEING PART OF THE GLOBAL FAVORITE FAMILY.

NOTHING IS ON THE MARKET COMPARABLE TO THIS PRICE POINT!

HOW FAVORITE HAS GROWN:

2006 TO 2008

THE COMPANY STARTED OUT WITH A THOROUGH MARKET RESEARCH PROGRAMME, SELECTION OF FACTORIES, PRODUCT DEVELOPMENT AND TESTING BEFORE PRODUCTION OF ITS FIRST LINE OF FISHING RODS FOR THE UKRAINIAN MARKET.

2008 TO 2010

GREW ITS MARKET SHARE IN UKRAINE TO MORE THAN 30% AND BEGAN A NEW INVESTMENT PROGRAMME TO DEVELOP A REELS RANGE.

2010

ATTENDED ITS FIRST EVER INTERNATIONAL TRADE AND CONSUMER SHOW, HUNTING & FISHING IN RUSSIA, AT THE ALL RUSSIAN EXHIBITION CENTRE, MOSCOW.

2011

FIRST FISHING SHOW IN BELARUS. ESTABLISHED DISTRIBUTORS FOR ALL FORMER SOVIET UNION COUNTRIES.

2012

FIRST EFTTEX IN PARIS, WHERE THE COMPANY BEGAN ITS DISTRIBUTION CAMPAIGN FOR EUROPE.

2013

THE OPENING OF ITS EUROPEAN WAREHOUSE IN LITHUANIA AND THE LAUNCH OF ITS SPECIALIZED PRO SERIES OF RODS.

2014

ANOTHER SHOW FIRST. FAVORITE ATTENDS CHINA FISH AS IT TARGETS THE ASIAN MARKET. LATER, THE SOLO IS NAMED RUNNER-UP (COMMENDED) IN THE ROD CATEGORY OF THE ANGLING INTERNATIONAL-SPONSORED BEST NEW PRODUCT AWARDS AT EFTTEX.

2015

FIRST APPEARANCE AT ICAST, THE WORLD'S BIGGEST FISHING TACKLE TRADE SHOW, AND THE FORMATION OF FAVORITE FISHING USA AS THE COMPANY TARGETS THE NORTH AMERICAN AND CANADIAN MARKETS. BEGINNING OF THE DEVELOPMENT OF A RANGE OF US-SPECIFIC TACKLE.

2016

FIRST APPEARANCE AT THE OSAKA FISHING SHOW IN JAPAN IN COLLABORATION WITH HYOGO PRODUCTS. ITS 10TH ANNIVERSARY ALSO MARKS THE ADVENT OF A NEW LOGO, NEW STANDARDS AND A NEW CHAPTER.

**WE OFFER MODERN, ADVANCED, SPECIALIZED PRODUCTS FOR A VERY REASONABLE PRICE!
FAVORITE – IS THE KEY TO READY & PROFITABLE BUSINESS.**

FAVORITE MATERIALS

WE USE THE MOST ADVANCED PREPREGS FROM THE VERY BEST KOREAN (SKYFLEX) AND JAPANESE (TORAY) MANUFACTURERS TO BUILD OUR FAVORITE RODS. BOTH, JAPAN AND KOREAN PREPREG ARE PRODUCED FROM JAPAN GRAPHITE FIBER MADE BY MITSUBISHI. WE USE A COMBINATION OF GRAPHITE OF DIFFERENT MODULUS IN ORDER TO ACHIEVE THE BEST ACTION AND ROD PERFORMANCE CHARACTERISTICS. WE INDICATE THE MANUFACTURER AND PREVAILING CARBON MODULUS FOR EACH ROD BLANK. THE HIGHER MODULUS YIELDS A LIGHTER, STIFFER AND MORE SENSITIVE ROD ON THE PERFORMANCE SIDE.

SKYFLEX 30T

SKYFLEX 30T – KOREAN MANUFACTURER SK PREPREG. MODULUS 30 TON (~44 MSI, APPROXIMATES IM9-IM10 FROM HEXCEL)

SKYFLEX 36T

SKYFLEX 36T – KOREAN MANUFACTURER SK PREPREG. MODULUS 36 TON (~53 MSI)

SKYFLEX 40T

SKYFLEX 40T – KOREAN MANUFACTURER SK PREPREG. MODULUS 40 TON (~59 MSI)

TORAY 36

TORAY 36T – JAPAN MANUFACTURER TORAY PREPREG. MODULUS 36 TON (~53 MSI)

TORAY 40

TORAY 40T – JAPAN MANUFACTURER TORAY PREPREG. MODULUS 40 TON (~59 MSI)

TORAY 46

TORAY 46T – JAPAN MANUFACTURER TORAY PREPREG. MODULUS 46 TON (~68 MSI)


ROD TECHNOLOGIES




A NEW ROD BUILDING CONCEPT COMBINING THE MOST ADVANCED TECHNOLOGIES. THE MAIN BUILDING CONCEPT IS IGrip – AN ABSOLUTELY INNOVATIVE TECHNOLOGY, WHICH INTEGRATES HANDLE AND ROD BLANK INTO ONE SOLID PIECE. OCTA CORE GRID – BLANK REINFORCING WITH 8-DIRECTIONS OF HIGH MODULUS CARBON STRUCTURED WRAPPING. FUJI TORZITE GUIDES – THE NEWEST LIGHTWEIGHT AND MOST TECHNOLOGICALLY ADVANCED FUJI GUIDES. THIS CONCEPT ALLOWS US TO GIVE A BIRTH TO THE LIGHTEST, DURABLE AND MOST SENSITIVE RODS IN THE WORLD!



MULTI LAYER STRUCTURE
MLS



MULTI LAYER STRUCTURE
MLS SLIM



O.C.G.

MLS - MULTI LAYER STRUCTURE

ALL FAVORITE ROD BLANKS ARE PRODUCED FROM A LAYERING COMBINATION WHERE CARBON OF DIFFERENT MODULUS AND DIFFERENT FIBER DIRECTIONS, ALLOWS US TO ACHIEVE THE DESIRED ROD ACTION, INCREASE THE DURABILITY AND LOWER THE ROD WEIGHT. MULTIPLE CARBON LAYER COMBINATIONS WITH DIVERSE FIBER DIRECTIONS ARE USED. LENGTHWISE (UNIDIRECTIONAL) PROVIDES BLANK STIFFNESS. LAYERS WITH DIFFERENT FIBER DIRECTIONS (MULTIDIRECTIONAL) PROVIDE STRENGTH AND TORSIONAL LOAD RESISTANCE.

MLS SLIM - MULTI LAYER STRUCTURE SLIM

THE USAGE OF A SPECIAL DIFFERENT MODULUS CARBON LAYER COMBINATION AND DIFFERENT FIBER DIRECTIONS ALLOW US TO CREATE VERY THIN AND "SLIM" BLANKS WITHOUT LOSING ROD STIFFNESS, WHICH WE USE TO BUILD L AND UL CLASS RODS.

O.C.G. - OCTA CORE GRID

THE 8 DIRECTIONS HIGH MODULUS STRUCTURED BLANK WRAPPING. IT FORMS KIND OF A MESH AROUND THE BLANK WITH AN OCTAGON AS A BASE. THIS IS ONE OF THE STRONGEST MECHANICAL STRUCTURES. THE USAGE OF AN OCTA CORE GRID PROTECTS THE BLANK DURING THE VERSATILE DIRECTION LOADS AND MAKES IT STIFFER. THIS ALLOWS USING HIGHER MODULUS FIBER AND MAKES THE BLANK THINNER AND LIGHTER WITHOUT THE LOSS OF STRENGTH.



FX GRID

FX GRID

THIS X-LIKE CARBON TAPE BLANK WRAPPING, IS USED ON THE BUTT AND MIDDLE SECTIONS OF THE BLANK MAKING IT MORE DURABLE AND INCREASING THE ROD POWER. ALLOWS US TO BUILD THE ROD WITH A FLEXIBLE UPPER PART, WHICH PERFORMS WELL DURING CASTING OF LIGHT LURES.



FX GRID WOVEN

FX GRID WOVEN

THE FX GRID EXTENDED VERSION IS A HYBRID OF THE X-SHAPED CROSS WINDING AND WOVEN CARBON. DOUBLE BUTT SECTION ENFORCEMENT DUE TO THE EXTRA CARBON LAYER INTERLACED WITH KEVLAR FIBER AND X-SHAPED CARBON TAPE WRAPPING. IT MAKES THE ROD BLANK STIFFER AND POWERFUL. USED ONLY IN THE BUTT SECTION BECAUSE OF SOME ADDED WEIGHT.



FUJI K-R CONCEPT

THE NEW CONCEPT OF PLACING THE RINGS, WHICH USES A NEW TYPE OF RINGS KL-H, WAS INTRODUCED BY FUJI IN 2012. THE BASIC PRINCIPLE OF THE NEW CONCEPT IS THE SO-CALLED FAST CONE PRINCIPLE, WHICH CONSISTS OF ONLY THREE RINGS OF SMALL DIAMETER ON HIGH LEGS. THIS ALLOWS YOU TO QUICKLY PUT DOWN THE FLUCTUATIONS OF THE FISHING LINE AND PREVENTS IT FROM RUBBING AGAINST THE ROD BLANK IN FRONT OF THE INLET RING. IN ADDITION, THE K-R CONCEPT ASSUMES A REDUCTION IN THE TOTAL MASS OF RINGS AND UNLOADING OF THE ROD TIP THROUGH THE USE OF SMALL RUNNING GUIDES. USING THE K-R CONCEPT IMPROVES A NUMBER OF ROD SPECIFICATIONS:

- REDUCTION IN WEIGHT
- IMPROVEMENT IN THE BALANCE
- INCREASE IN CASTING DISTANCE
- INCREASE IN THE ACCURACY OF CASTING.

FUJI TORZITE

FUJI TORZITE GUIDES

THIS IS THE LAST WORD IN THE TECHNOLOGICAL EVOLVEMENT AND ENGINEERING FROM FUJI, THESE RINGS ARE MADE FROM A HIGH-STRENGTH MATERIAL THAT IS CAREFULLY POLISHED, WHICH LEADS TO THE TORZITE RING BEING MUCH THINNER AND LIGHTER IN COMPARISON WITH SiC RINGS OF THE SAME SIZE.

THANKS TO ITS SLIM FORM, THE INNER DIAMETER OF THE TORZITE RINGS IS 1.5% WIDER THAN THE SiC RINGS OF THE SAME SIZE. THIS MEANS THAT NOW YOU CAN REDUCE THE WEIGHT OF RINGS ON THE ROD UP TO 20-30%! WEIGHT REDUCTION OF THE RINGS DECREASES ROD TIP LOAD, AND ADD SENSITIVITY TO THE ROD TOP. HIGH-STRENGTH CERAMIC MATERIAL TORZITE HAS THE SAME LEVEL OF DURABILITY AND STRENGTH, AS SiC MATERIAL DESPITE OF THE FACT THAT TORZITE RINGS ARE MUCH THINNER THAN SiC ONES. CHANCES TO BREAK THE RING TORZITE FROM AN ACCIDENTAL IMPACT OR FALL IS MUCH LOWER. TORZITE RINGS SURFACE IS CAREFULLY POLISHED, THIS REDUCES FRICTION AND ALLOWS ENHANCING DISTANCE OF EVERY CAST. SURFACE SMOOTHNESS OF RINGS ALSO REDUCES THE CONTACT PRESSURE AND FRICTION, PROLONGING THE "LIFE" OF THE FISHING LINE.

AS A PREMIUM PRODUCT, FUJI TORZITE RINGS ARE ONLY AVAILABLE IN A TITANIUM FRAME. TO INDICATE THE STATUS OF HIGH QUALITY MANUFACTURE, ALL OF THE FUJI TORZITE RINGS ARE MARKED WITH A LASER.



iGRIP
Patented technology

THE iGRIP - PATENTED TECHNOLOGY WHICH RAISES THE ROD TO A HIGHER AND NEW FUNCTIONALITY LEVEL. THE ESSENCE OF THIS TECHNOLOGY IS THAT THE GRIP AND BLANK FORM A SINGLE UNIT. THIS WAS ACHIEVED THANKS TO SEVERAL ADVANTAGES:

- WEIGHT REDUCTION- DUE TO THE FACT THAT THE DESIGN OF THE GRIP DOESN'T USE ANY ADDITIONAL ARBOR OR CARBON TUBES UNDER THE REEL SEAT, NOW IT IS MOUNTED DIRECTLY ON THE BLANK.
- INCREASED SENSITIVITY- CONICALLY EXPANDING REAR PART OF THE BLANK WORKS AS A RESONATOR, AMPLIFYING VIBRATIONS. FURTHERMORE, THE SENSITIVITY IS IMPROVED BY A CLOSER CONTACT OF HANDS WITH THE ROD BLANK. THIS IS ESPECIALLY EFFECTIVE WHEN USING SKELETAL REEL SEAT, WHICH MAKES 80% OF THE HAND CONTACT WITH THE ROD BLANK DIRECTLY.
- IMPROVED ERGONOMIC GRIP- SMOOTHLY INTO THE FORM ON THE HANDLE PROVIDES A COMFORTABLE GRIP, ESPECIALLY SATISFYING THOSE ANGLERS WHO PREFER TO PUT INDEX FINGER ON THE ROD BLANK.

REEL TECHNOLOGIES



METAL BODY

LIGHTWEIGHT ALUMINUM ALLOY METAL BODY AND SIDE COVER. STRONGER AND MORE DURABLE REEL BODY.



NEW TECHNOLOGIES ALLOWED US TO MAKE THE REEL BODY FROM HIGH MODULUS CARBON. THIS KIND OF MATERIAL HAS ALMOST THE SAME STRENGTH AND STIFFNESS AS METAL BUT IS MUCH LIGHTER. THIS TECHNOLOGY DRIVES OUR REELS ON THE SAME LEVEL WITH TOP REELS FROM WELL-KNOWN MANUFACTURERS. NOW WE HAVE TRULY LIGHTWEIGHT REELS NOT MORE THAN 6.5 OZ FOR A 2000 SIZE REEL. AT THE SAME TIME THE NEW MATERIAL IS STRONG ENOUGH TO INCREASE THE SENSITIVITY DUE TO THE STIFFNESS.



NEW COMPACT ROTOR MADE OF A PROGRESSIVE AIRLITE MATERIAL. EXTREMELY LIGHT WEIGHT PROVIDES LOW INERTIA AND UNEXCELLED SMOOTHNESS DURING ROTATION. THIS FEATURE IS VERY IMPORTANT WITH FINESSE FISHING, WHERE LURE CONTROL AND SENSITIVITY ARE THE UTMOST OF IMPORTANCE. BESIDES A LIGHTWEIGHT ROTOR REDUCES THE REEL WEIGHT LETTING US ACHIEVE OUTSTANDING RESULTS COMPARABLE WITH MANUFACTURERS.



LIGHTWEIGHT MAIN GEAR MADE OF HIGH-STRENGTH AVIATION ALLOY. REDUCES THE BAITCASTING REEL WEIGHT AND MAKES THE ROTATION VERY SMOOTH.

REEL TECHNOLOGIES



HD GEAR (SPINNING REELS)
REINFORCED MAIN GEAR MADE OF HIGH-STRENGTH LIGHT-WEIGHT ALLOY AND PLACED ON THE METAL SHAFT. SCREW-IN CONNECTION BETWEEN THE GEAR AND HANDLE ALLOWS THE ANGLER TO MINIMIZE ANY KIND OF BACKLASH AND MAKES THE ROTATION SMOOTH.



HD GEAR (BAITCASTING REELS)
REINFORCED (HEAVY DUTY) MAIN GEAR MADE BY COLD FORGING METHOD.

FEATHER LIGHT ROTOR



FEATHER LITE ROTOR
LIGHTWEIGHT CARBON-PLASTIC SKELETON ROTOR. PROVIDES LESS INERTIA AND ALLOWS FOR A SMOOTHER REEL ROTATION.



CARBO DRAG
CARBON FRICTION WASHERS PROVIDE INSTANTANEOUS START AND ACCURATE TUNING.



DCC - DUAL CAST CONTROL
HYBRID OF MAGNETIC AND CENTRIFUGAL BRAKING SYSTEMS. OUR DUAL BRAKING SYSTEM PROVIDES INCREDIBLE CAST CONTROL AND PRECISION ADJUSTMENT WHEN THE MONEY IS ONE THE LINE!



Blue Bird

IM30T CARBON

MULTILAYER STRUCTURE
MLS

SiC GUIDES



NOT VERY LONG AGO HIGH-END FINESSE RODS WITH A SOLID TIP, WERE PRESENTED ONLY BY ELITE JAPANESE BRANDS. NOW THIS OBSTACLE WAS ELIMINATED BY THE BLUE BIRD SERIES. THESE RODS DESPITE BEING OF LOW PRICE, ARE DEFINITELY NOT A COMPROMISE. THIS IS A TRULY HIGH-QUALITY, VERY SENSITIVE TACKLE WHICH ALLOWS CASTING SMALL SOFT BAITS FOR A LONG DISTANCE. IT'S EQUIPPED WITH A COMFORTABLE SPLIT HANDLE, TINY GUIDES ON THE TOP WHICH DECREASE THE INERTIA OF BLANK AND INCREASES SENSITIVITY. ADDITIONALLY, THE TOP GUIDE WRAPPINGS PAINTED WHITE WHICH CAN EASILY BE SEEN FROM ANY BACKGROUND. PUT ON A LIGHT REEL AND YOU HAVE THE PERFECT INSTRUMENT WHICH ISN'T ANY WORSE THAN ITS BRAND ANALOGS. ORIGINALLY MEANT FOR SALTWATER ROCK FISHING, THESE RODS ALSO SUITABLE FOR FRESHWATER FISHING IN A FINESSE STYLE FOR PERCH.

FOUR PIECES TRAVEL VERSION OF BLUE BIRD ROD. EQUIPPED WITH A COMPACT HARD CASE THAT IS SUITABLE FOR USE AS LONE AIRPLANE BAGGAGE, AS WELL AS EASY PACKING TO THE MAIN LUGGAGE. WE TRIED TO MAKE THE MOST UNIVERSAL ROD WHICH INCLUDES TWO TIPS: ONE IS SOLID AND ONE IS TUBULAR, SO THE ROD IS SUITABLE FOR VERY DIFFERENT STYLES OF FISHING: WITH SOFT LURES AS WELL AS HARD LURES.



✓	CODE	MODEL	LENGTH, M	ACTION	LURE TEST, G	LINE TEST, LB	WEIGHT, G
	16938018	BB16-632UL-S	1.92	EX.FAST	1-7	4-6LB	96
	16938019	BB16-632L-S	1.92	EX.FAST	3-12	4-6LB	110
	16938020	BB16-682SUL-S	2.04	EX.FAST	0,5-5	2-4LB	96
	16938021	BB16-682UL-S	2.04	EX.FAST	1-7	4-6LB	102
	16938022	BB16-732ML-S	2.19	EX.FAST	4-14	4-10LB	110
	16938023	BB16-762UL-T	2.3	EX.FAST	1.5-8	4-6LB	112
	16938024	BB16-792L-T	2.36	EX.FAST	2-10	4-6LB	110

NOTES



Blue Bird

compact

IM30T CARBON

MULTI LAYER STRUCTURE
MLS

SiC GUIDES



THE TRAVEL VERSION OF BLUE BIRD, A ROD MODEL LOVED BY EVERYBODY. IT'S DELIVERED IN A HARD CASE IN A SET WITH TWO INTERCHANGEABLE TIPS. THE SOLID ONE IS DESIGNED FOR ROCKFISHING STYLE WITH SOFT BAITS, WHEREAS THE TUBULAR ONE IS FOR A MORE UNIVERSAL ROD AND ALLOWS FOR WORKING WITH SMALL HARD LURES. THE COMPACT VERSION HAS ALL THE FEATURES OF THE TWO-PIECE BLUE BIRD, BUT IT FITS EASILY IN A SMALL CASE OF JUST 63 CM LONG.



✓	CODE	MODEL	LENGTH, M	LENGTH TUBE, M	ACTION	LURE TEST, G	LINE TEST, LB	WEIGHT, G
	16938025	BBC16-634UL-T/S	1.9	0.52	FAST	2-7	4-6 LB	95

NOTES

White Bird

IM24T CARBON

MULTI LAYER STRUCTURE
MLS

SiC GUIDES



FAVORITE BRAND IS HAPPY TO PRESENT A NEW "BIRD" IN IT'S PRODUCTS RANGE - WHITE BIRD. THIS IS THE BUDGET ROD DESIGNED FOR ROCKFISHING STYLE OR FINESSE FISHING WITH SOFT LURES IN FRESHWATER. WHITE BIRD HAS A SOLID TIP "S" THAT PROVIDE A GREAT CONTROL OF TINY LURES AND MAKE POSSIBLE TO CATCH MOST PASSIVE FISHES. THE MODEL RANGE INCLUDES SIX MODELS IN THREE CASTING WEIGHTS (UP TO 5G, 7G, 14G) AND TWO LENGTHS (2.04M AND 2.19M). YOU CAN EASILY CHOOSE THE ROD BEST FOR YOUR SPECIFICATIONS. WHITE BIRD IS A GOOD PRESENT FOR THE BEGINNER OR TO TRY FINESSE FISHING STYLE.



✓	CODE	MODEL	LENGTH, M	ACTION	LURE TEST, G	LINE TEST, LB	WEIGHT, G
	16930354	WB-682SUL-S	2.04	EX.FAST	0.5-5	4-6LB	79
	16930355	WB-682UL-S	2.04	EX.FAST	1-7	4-8LB	80
	16930356	WB-682ML-S	2.04	EX.FAST	3-14	6-10LB	85
	16930357	WB-732SUL-S	2.19	EX.FAST	0.5-5	4-6LB	88
	16930358	WB-732UL-S	2.19	EX.FAST	1-7	4-8LB	90
	16930359	WB-732ML-S	2.19	EX.FAST	4-14	6-10LB	97

NOTES

Exclusive

SKYFLEX 40T

MULTI LAYER STRUCTURE
MLS
SLIM



TITANIUM
LIGHTER & STRONGER



THESE RODS ARE A PERFECT INSTRUMENT FOR THE FISHING WITH TINY SOFT BAITS IN FRESHWATER, AS WELL AS IN SALTWATER ROCK FISHING STYLE. EXCLUSIVE RODS HAVE A VERY THIN AND FLEXIBLE SOLID TIP. THE SOLID PART IS RATHER SHORT WHICH INCREASES TACTILE SENSITIVITY. OTHER THAN INCREASING SENSITIVITY, THE SOLID PART HAS ANOTHER FUNCTION – IT MAKES THE TIP HEAVIER, WHICH CONTRIBUTES TO THE DISTANCE OF CASTING OF EXTRA-LIGHT LURES. THE GUIDES USED HERE ARE OF THE LIGHTEST WEIGHT WITH A SPECIAL TANGLE FREE SHAPE. THE REST OF THE GUIDES ARE VERY LIGHT - SINGLE-FOOT FUJI TITANIUM SIC. THE TACKLE IS SO LIGHT-WEIGHT AND WELL-BALANCED, IT FIT THE HAND SO WELL, THAT FISHING WITH IT IS NOT ONLY REASONABLE BUT DOWN RIGHT PLEASANT.



✓	CODE	MODEL	LENGTH, M	ACTION	LURE TEST, G	WEIGHT, G
	16930089	EXS-682UL-S	2.07	EX.FAST	0.5-5	85
	16930084	EXS-732UL-S	2.21	EX.FAST	0.5-6	93
	16930059	EXS-792UL-T	2.4	EX.FAST	0.6-8	88
	16930046	EXS-832L-T	2.48	EX.FAST	2-10	96
	16930047	EXS-832M-T	2.48	EX.FAST	3-12	107

NOTES

IMPULSE

FORGES ANGLERS HEART TO BEAT FASTER

TORAY 46

MULTI LAYER STRUCTURE
MLS
SLIM



ALCONITE
GUIDE

INFINITE REALITY
K·R
CONCEPT



FAVORITE IMPULSE NEW IS A SIMPLIFIED AND AFFORDABLE COST VERSION OF ULTRA-LIGHT SPINNING ROD FAVORITE IMPULSE TZ. ITS MAIN DIFFERENCE FROM THE TOP MODEL IS IN THE APPLICATION OF SIMPLER GUIDES AND THE HANDLE MATERIAL. THE BLANK IS MADE FROM CARBON PREPREG PRODUCED BY THE JAPANESE CORPORATION TORAY, MODALITY 46 TONS, BUT A DIFFERENT KIND OF GUIDES WAS USED FOR THE BUTT-END. THE BLANK OF THE IMPULSE NEW IS EQUIPPED WITH GUIDES FUJI ALCONITE THAT PREVENT THE LINE OVERLAPPING, ARRANGED BASED ON THE KR-CONCEPTION. IT IS EQUIPPED WITH A CONVENIENT REEL-HOLDER WITH A LOWER CARBON NUT. FAVORITE IMPULSE NEW HAS THE SAME OPERATING FEATURES, LIKE CASTING DISTANCE, ELASTICITY BY PLAYING, SENSITIVITY OF THE TACKLE DURING RETRIEVAL. COMFORTABLE ROD'S HAND IS MADE FROM EVA AND CARBON AND HAS MINIMALISTIC AND ERGONOMIC DESIGN. FOR BETTER VISUALISATION AND TOP CONTROL, THE GUIDES ON SOME RUNNINGS AND TULIP IS MADE IN WHITE COLOUR. GENERALLY, FAVORITE IMPULSE NEW HAS A STRONG AND A STYLISH DESIGN.

FAVORITE IMPULSE NEW IS DESIGNED FOR FISHING FROM FAR DISTANCES AND FOR SHORE FISHING. THE MAIN DIRECTION IS MICROJIG FISHING, BESIDES THE SPINNING ROD IS GOOD FOR MINIATURE AND ROTATING SPOONS, TWITCHING WITH LITTLE HARD LURES, WITH MINIMUM FRONT RESISTANCE.



✓	CODE	MODEL	LENGTH, M	ACTION	LURE TEST, G	LINE TEST, LB	WEIGHT, G
	16930398	IMP-762UL-T	2,29	EX.FAST	0.6-7	#0.2-0.4	90
	16930399	IMP-792L-T	2,36	EX.FAST	2-10	#0.2-0.6	96
	16930400	IMP-832L-T	2,51	EX.FAST	3-12	#0.2-0.8	102

NOTES

IMPULSE^{TZ}
FORGES ANGLERS HEART TO BEAT FASTER



IF WE ASK FANS ONSHORE ABOUT LIGHT JIG ABOUT WHAT QUALITIES MUST HAVE A SUITABLE ROD, MOST OF THEM WILL TELL YOU THAT IT SHOULD CAST HOLD WELL ON TAKING FISH FROM THE WATER AND BE SENSITIVE. THE "CASTING" ROD PLAYS AN IMPORTANT ROLE IN MANY CASES, ESPECIALLY WHEN THE FISH IS ON THE FAR TOUCHLINE, LAKES OR LARGE RIVERS, OR UNDER THE OPPOSITE BANK OF A NARROW CHANNEL OR SMALL RIVER. "VISCOSITY" - A POSITIVE EFFECT ON TAKING FISH FROM WATER AND ALLOWS THE FISH TO HOLD ON TO THE SHORE. WITHOUT THE HIGH SENSITIVITY, PERHAPS, THE WHOLE PROCESS OF FISHING IS NOT VERY EFFECTIVE AND ALL THESE QUALITIES ARE ESPECIALLY IMPORTANT IN THE COMPETITION, WHERE EACH FISH'S WEIGHT IS IN GOLD. WE HAVE IMPLEMENTED IT IN THE LINEUP FAVORITE IMPULSE, CONSISTING OF THREE RODS: 7'6", 7'9" AND 8'3". THESE THREE VERSIONS COVER THE MOST ESSENTIAL TEST RANGES FOR COASTAL FISHING FROM 0.5-12 GRAMS AND POSSESS ALL THE ABOVE QUALITIES. VOLODYMYR VOROTNYAK (IMPULSE-JACKALL TEAM), TWO TIME CHAMPION OF UKRAINE AND ONE OF THE MOST AWARDED UKRAINIAN SPINNING FISHERMAN, TOOK AN ACTIVE PART IN THE DEVELOPMENT OF THIS ROD. THE ROD WON PRIZES IN SEVERAL COMPETITIONS AND PROVED TO BE A WORTHY COMPETITOR TO THE JAPANESE PREMIUM RODS EVEN IN THE PRE-PRODUCTION STAGE. FAVORITE IMPULSE EQUIPPED WITH MODERN GUIDES FUJI TORZITE AND REEL SEAT FUJI TVS, WHICH FULLY COMPLIES WITH THE BRAND CONCEPT FAVORITE: "ANOTHER STEP FORWARD".



✓	CODE	MODEL	LENGTH, M	ACTION	LURE TEST, G	LINE TEST, LB	WEIGHT, G
	16930351	IMP-762UL-T	2,29	EX.FAST	0.6-7	#0.2-0.4	117
	16930352	IMP-792L-T	2,36	EX.FAST	2-10	#0.2-0.6	121
	16930353	IMP-832L-T	2,51	EX.FAST	3-12	#0.2-0.8	129

NOTES

SOLO



SOLO IS THE “FIRST BIRD” IN A NEW LINE OF HIGH-END RODS, “FAVORITE PRO SERIES”. WE’VE USED ALL THE LATEST TECHNOLOGIES THAT ARE CURRENTLY AVAILABLE TO US IN THIS SERIES. FIRST, IT’S OUR PATENTED DEVELOPMENT - TECHNOLOGY iGRIP WHICH MADE IT POSSIBLE TO MINIMIZE THE WEIGHT AND INCREASE THE SENSITIVITY OF THE ROD. IN ADDITION, THE SOLO EQUIPPED BY FUJI TORZITE GUIDES THAT ARE 10% LIGHTER THAN SIC. THESE TECHNOLOGIES MAKE IT POSSIBLE TO CREATE A ROD WITH A WEIGHT NO MORE THAN 60G FOR A SIX-FOOT MODEL.

SOLO – ROCK FISHING ROD DESIGNED PRIMARILY FOR FISHING WITH THE SMALLEST OF SOFT LURES AND LIGHTEST SINKERS. IT’S A POPULAR IN JAPAN “HARD SOLID” TYPE - ROD EQUIPPED WITH A VERY THIN AND STIFF HIGH MODULUS SOLID TIP, WHICH ALLOWS YOU TO ANIMATE THE MOST ACCENTED LIGHT RIGS, AND PROVIDES GREATER SENSITIVITY. TOGETHER WITH AN ULTRA-LIGHT REEL SOLO WILL PROVIDE A FULL “FENG SHUI” ALLOWING FOR DISSOLVING IN THE PROCESS OF FISHING, REGARDLESS OF WHERE YOU’RE FISHING, WHETHER IT BE A BEAUTIFUL LAKE IN THE FAIRY FOREST OR THE INDUSTRIAL BANK OF A CANAL IN THE CITY.



✓	CODE	MODEL	LENGTH, M	ACTION	LURE TEST, G	LINE TEST, LB	WEIGHT, G
	16930201	SOL-602UL	1,83	EX.FAST	0.6-5	#0.2-0.3	62
	16930202	SOL-6102UL	2,08	EX.FAST	0.6-5	#0.2-0.3	67

NOTES

SkyLine



GREAT COMBINATION OF CASTABILITY AND SENSITIVITY.

IT WAS DEVELOPED BOTH FOR SALTWATER AND FRESHWATER FISHING. IN SALTWATER, IT'S INTENDED FOR SHORE SUPER-LIGHT JIGGING, HARD ROCK FISHING AND LIGHT SEABASS GAME. IN FRESHWATER THESE RODS ARE QUITE SUITABLE FOR SHORE FISHING WITH SOFT LURES IN BOTTOM STYLE. THE BASIS OF THE CONCEPT - TO CAST LIGHT RIG OVER THE HORIZON AND GET THE FISH FROM THE "FAR EDGE". THE ROD HAS INCREASED POWER OF BUT SECTION THAT ALLOWS FOR GETTING THE FISH TO THE SHORE VERY FAST. USING HIGH MODULUS CARBON PROVIDES THE HIGHEST SENSITIVITY. SKYLINE IS SUITABLE TO USE WITH DIFFERENT KIND OF RIGS, LIKE CLASSIC JIG-HEADS AS WELL AS LINE RIGS, LIKE CAROLINA AND LIGHT DROP-SHOT RIG. LIKE ALL PRO SERIES RODS, SKYLINE EQUIPPED WITH FUJI TORZITE GUIDES.



✓	CODE	MODEL	LENGTH, M	ACTION	LURE TEST, G	LINE TEST, LB	WEIGHT, G
	16930209	SKY-832L	2.51	EX.FAST	3-12	#0.3-0.6	112
	16930237	SKY-862ML	2.58	EX.FAST	4-16	#0.4-0.8	116
	16930261	SKY-862M	2.58	EX.FAST	6-21	#0.8-1	127

NOTES

RECEPTOR

TORAY 36 40

MULTI LAYER STRUCTURE
MLS



SiC



A SERIES OF RODS FOR LIGHTWEIGHT AND MEDIUM WEIGHT JIG HEAD WITH SOFT LURES. THE RODS OF THIS SERIES ARE REMARKABLE FOR HIGH SENSITIVITY AND MULTIPLE ACTIONS. THE CONSTRUCTION OF A RECEPTOR'S BLANK COMBINES PERFECTLY BALANCED SOFT FLEXIBLE TIP, MODERATELY FLEXIBLE MIDDLE PART AND STRONG BUTT SECTION. THE INFORMATIVE TIP ALLOWS A CLEAR TRACING OF THE BOTTOM TOUCHING AS WELL AS ALL KINDS OF SOFT LURES ANIMATION. DUE TO THE MODERATELY FLEXIBLE MIDDLE PART, THE ROD HAS WONDERFUL CASTING CHARACTERISTICS AND HOLDS THE FISH WELL. THE ROD'S TIP IN RECEPTOR IS TUBULAR. HIGH QUALITY FUJI K-TYPE GUIDES EQUIPPED IN SPECIAL ANTI-WRAPPING FRAMES OF SMALL DIAMETER UNLOAD THE BLANK AND REQUIRES USING THE SOFT AND THIN PE BRAIDED LINES. THE UNIVERSAL LENGTH ALLOWS FOR USING THE RECEPTOR WHEN FISHING FROM BOATS AS WELL AS WHEN FISHING FROM A BANK.



✓	CODE	MODEL	LENGTH, M	ACTION	LURE TEST, G	LINE TEST, LB	WEIGHT, G
	16930016	RCS772ML	2.32	FAST	4-16	6-12 LB	103
	16930017	RCS772M	2.32	FAST	6-24	8-14 LB	109
	16930018	RCS772MH	2.32	FAST	8-30	10-16 LB	111
	16930019	RCS-862ML	2.60	FAST	3-12	6-12 LB	106

NOTES

SENTINEL

SKYFLEX 36T

MULTI LAYER STRUCTURE
MLS



ALCONITE
GUIDE



A SERIES OF UNIVERSAL RODS. PRIMARILY, SENTINEL RODS ARE DESIGNED FOR HARD LURE FISHING. THEY ARE WONDERFUL WHEN USING MINNOW TYPE LURES AS WELL AS WHEN USING CRANKBAITS. SENTINEL BLANKS HAVE A MODERATELY FAST ACTION, WHICH EASY TO CAST HARD BAITS AND SHOWS GOOD PERFORMANCE WHEN FIGHTING WITH A FISH, AT THE SAME TIME THEY'RE STIFF ENOUGH TO PERFORM A TWITCHING TECHNIQUE. THE ROD IS EQUIPPED WITH FUJI K-GUIDES, WHICH PREVENT SOFT PE LINE FROM WRAPPING. EVEN THOUGH THE RODS ARE TO BE MAINLY USED WITH HARD LURES, THEY CAN BE USED TO JIG WITH SOFT BAITS AS WELL DUE TO THE HIGH SENSITIVITY OF THE BLANK.



✓	CODE	MODEL	LENGTH, M	ACTION	LURE TEST, G	LINE TEST, LB	WEIGHT, G
	16930097	SNS762ML	2.28	M-FAST	5-21	8-14 LB	95
	16930098	SNS832M	2.51	M-FAST	7-28	10-16 LB	98

NOTES

COBALT

IM30T CARBON

MULTILAYER STRUCTURE
MLS

SiC GUIDES



FAVORITE COBALT – THE SERIES OF MULTIPURPOSE RODS, SPECIALLY DESIGNED FOR SHORE FISHING BOTH IN SALTWATER AND FRESHWATER. THE MIDDLE-FAST ACTION OF BLANK AND SPECIAL GUIDES' COMPOSITION ALLOW ACHIEVING THE HIGH CASTING DISTANCE - WHICH IS VERY IMPORTANT FOR ANGLING FROM SHORE, AS EVERY ADDITIONAL METER CAN PROVIDE YOU WITH LONG-EXPECTED BITE. IT IS TRULY A UNIVERSAL ROD, BECAUSE IT'S WELL SUITED FOR ANY KIND OF LURES IN DIFFERENT CONDITIONS. PIKE, ZANDER, ASP FISHING IN FRESHWATER, SEABASS, GROUPER, SMALL PELAGICS IN SALTWATER - IT'S GREAT FOR ALL OF THEM. HOWEVER, THE STRENGTH OF BLANK WILL BE ENOUGH TO MAKE A STRONG HOOK UP FROM BIG DISTANCE AND WON'T GIVE A CHANCE FOR FISH TO RUN OFF FROM HOOK.



✓	CODE	MODEL	LENGTH, M	ACTION	LURE TEST, G	LINE TEST, LB	WEIGHT, G
	16930239	CBL-802ML	2.4	MOD.FAST	5-18	8-16 LB	158
	16930240	CBL-902M	2.7	MOD.FAST	9-28	10-20 LB	166
	16930241	CBL-902MH	2.7	MOD.FAST	15-35	12-20 LB	188
	16930242	CBL-902H	2.7	MOD.FAST	20-50	15-25 LB	190
	16930243	CBL-1002H	3.0	MOD.FAST	20-50	15-25 LB	196
	16930244	CBL-1002EXH	3.0	MOD.FAST	30-80	15-30 LB	225

NOTES

SHOOTER

SKYFLEX 40T

MULTI LAYER STRUCTURE

MLS

EX GRID



ALCONITE GUIDE

INFINITE REALITY K-R CONCEPT



OUR FIRST MODEL SPECIALLY DESIGNED FOR SEABASS AND SALTWATER SHORE LURE FISHING. BLANKS OF THIS SERIES ARE MADE FROM HIGH MODULUS TORAY CARBON AND SPECIAL REINFORCED X-WRAP CARBON TAPE. MODERATING FAST ACTION WITH FUJI KR GUIDES, PROVIDES GOOD CASTABILITY OF HARD PLUG LURES AS WELL AS JIG HEAD RIGS. THE LINEUP INCLUDES RODS THAT ARE SUITABLE FOR ALL MAIN SHORE SEABASS FISHING GAME STYLES INCLUDING LIGHT MODELS FOR PORT GAME, RUN & GUN STYLE AND HEAVY MODEL FOR SURF CASTING FOR MONSTER SEABASS AND YELLOWTAIL.



✓	CODE	MODEL	LENGTH, M	ACTION	LURE TEST, G	LINE TEST, LB	WEIGHT, G
	16930234	SHT-862M	2.60	MOD.FAST	10-28	8-20 LB	138
	16930235	SHT-902MH	2.70	MOD.FAST	15-35	10-25 LB	164
	16930236	SHT-962MH	2.90	MOD.FAST	15-35	10-25 LB	171
	16930238	SHT-1002H	3.00	MOD.FAST	20-60	20-30 LB	183

NOTES

ZANDER

SKYFLEX 36T

MULTI LAYER STRUCTURE
MLS



INFINITE REALITY
K-R CONCEPT

ALCONITE
GUIDE



MATCHING THE NAME ZANDER IS A SPECIALIZED ROD FOR ZANDER FISHING USING A SOFT BAITS. THIS IS A KIND OF UNIQUE ROD MADE IN THE ROCKFISHING CONCEPT WITH A SOLID TIP BUT IN HEAVY ACTION. IT'S A PERFECT COMBINATION FOR ZANDER FISHING ESPECIALLY WHEN THE FISH AREN'T ACTIVE. THE SOLID TIP ALLOWS TO USE FINESSE RIGS AND IS GOOD FOR A DROP-SHOT TECHNIQUE AND PRECISION VERTICAL LURE PRESENTATION. THE STIFF MIDDLE SECTION HELPS TO MAKE A STRONG HOOK UP IN HARD ZANDER'S JAWS. POWERFUL BUTT SECTION HELPS FIGHT WITH STRONG FISH IN DIFFICULT CONDITIONS. IN SALTWATER, THE ZANDER ROD IS SUITABLE FOR SNAPPER FISHING IN VERTICAL STYLE, USING SUCH JAPANESE LURES AS TENYA AND INCHIKU.



✓	CODE	MODEL	LENGTH, M	ACTION	LURE TEST, G	WEIGHT, G
	16933072	ZRS-682M	2.07	EX.FAST	UP TO 32	133
	16930213	ZRS-682H	2.07	EX.FAST	UP TO 60	147
	16933073	ZRS-792M	2.4	EX.FAST	UP TO 32	141
	16930214	ZRS-792H	2.4	EX.FAST	UP TO 60	162
	16933057	ZRS-902M	2.7	EX.FAST	UP TO 32	190
	16930215	ZRS-902H	2.7	EX.FAST	UP TO 60	207

NOTES

neo **Breeze**
GENERATION JIG

SKYFLEX 40T

MULTI LAYER STRUCTURE
MLS



ALCONITE
GUIDE



THESE ARE PREMIUM CLASS RODS WHICH LEAVE BEHIND THEIR ANALOGS IN THE SAME PRICE CATEGORY. DURING THE PRODUCTION OF THESE RODS, THE REQUIREMENTS SET FORTH BY THE FISHERMEN CATERING FOR LOCAL FISHING CONDITIONS WERE TAKEN INTO CONSIDERATION. THESE ELEGANT AND DELICATE RODS HAVE AN IMPRESSIVE POWER MARGIN WHICH ALLOWS FOR CATCHING EVEN BIG PREDATORY FISH.

FAST AND SENSITIVE RODS DESIGNED MAINLY FOR BOTTOM FISHING WITH SOFT BAIT AND JIG HEAD. HIGH MODULUS BLANKS ALLOW FOR ENOUGH SENSITIVITY TO CONTROL THE BOTTOM AND ENOUGH STIFFNESS TO MAKE ACTIVE LURE ANIMATION. ITS POWERFUL RODS ARE MAINLY SUITABLE FOR PIKE AND ZANDER FISHING, BUT ALSO USEFUL FOR SALMON AND BIG TROUT FISHING WITH METAL LURES. IN SALTWATER, IT'S BEST FOR SEABASS FISHING WITH METAL VIBRATIONS AND LIGHT JIGS.



✓	CODE	MODEL	LENGTH, M	ACTION	LURE TEST, G	LINE TEST, LB	WEIGHT, G
	16930150	BRS-762ML	2.30	EX.FAST	4-24	8-14 LB	104
	16930151	BRS-762M	2.30	EX.FAST	7-32	10-16 LB	114
	16930152	BRS-762MH	2.30	EX.FAST	10-45	10-20 LB	124
	16930166	BRS-862L	2.60	EX.FAST	3-18	6-12 LB	116
	16930153	BRS-862ML	2.60	EX.FAST	5-28	8-16 LB	126
	16930154	BRS-862M	2.60	EX.FAST	7-35	10-20 LB	130
	16930155	BRS-862MH	2.60	EX.FAST	15-50	12-25 LB	132
	16930165	BRS-902MH	2.70	EX.FAST	15-45	12-25 LB	134

NOTES

Respect your choice
variant

IM24T CARBON

MULTI LAYER STRUCTURE
MLS

SiC GUIDES



THE VARIANT ROD THIS IS LOWCOST ROD SERIES. FOR ITS PRICES DIAPASON STANDING NEXT TO THE DELTA AND LAGUNA SERIES. VARIANT RODS ARE MULTIPURPOSE, YOU CAN SUCCESSFULLY USE IT FOR JIGS AND SPINNERS AND WOBBLERS. A WIDE RANGE OF ROD LONGS AND TESTS ALLOWS YOU TO CHOOSE THE APPROPRIATE MODEL FOR CATCHING ANY SPECIFICS. REASONABLE PRICE AND DECENT DESIGN WILL BE ENJOYED NOT ONLY BY BEGINNERS, THAT IS ONLY START MASTERING OF FISHING, BUT ALSO ADVANCED LEVEL ANGLERS. CHOOSE YOUR VARIANT!

A CHEAP RODS SERIES, FOR THE PRICE WHEN STANDING NEXT TO THE DELTA AND LAGUNA. THE VARIANT RODS SERIES IS VERY VERSATILE: THEY CAN SUCCESSFULLY WORK WITH SOFT BAITS AS WELL AS SPINNERS AND HARD LURES. A WIDE RANGE ALLOWS YOU TO CHOOSE THE APPROPRIATE MODEL FOR ANY FISHING STYLES AND CONDITION. AFFORDABLE PRICE AND DECENT DESIGN WILL BE ENJOYED BY BOTH BEGINNERS ONLY MASTERING "THE BASICS" OF FISHING, AND ADVANCED ANGLERS.



✓	CODE	MODEL	LENGTH, M	ACTION	LURE TEST, G	LINE TEST, LB	WEIGHT, G
	16930179	VRN-602UL	1.83	FAST	2-7	6-8 LB	103
	16930170	VRN-602L	1.83	FAST	3-12	6-10 LB	105
	16930171	VRN-662L	1.98	FAST	3-14	8-12 LB	111
	16930180	VRN-662ML	1.98	FAST	4-16	8-15 LB	118
	16930178	VRN-662M	1.98	FAST	5-25	10-20 LB	121
	16930181	VRN-662MH	1.98	FAST	7-28	10-25 LB	125
	16930182	VRN-662H	1.98	FAST	12-35	12-30 LB	130
	16930172	VRN-702ML	2.10	FAST	5-18	8-15 LB	121
	16930173	VRN-702M	2.10	FAST	7-25	10-20 LB	125
	16930183	VRN-702MH	2.10	FAST	10-30	10-25 LB	141
	16930174	VRN-702H	2.10	FAST	15-45	15-30 LB	155
	16930175	VRN-762M	2.29	FAST	10-30	10-25 LB	154
	16930176	VRN-762MH	2.29	FAST	12-35	12-30 LB	155
	16930177	VRN-802M	2.40	FAST	12-35	12-30 LB	152

X1

IM24T CARBON

MULTI LAYER STRUCTURE
MLS

SiC GUIDES



THE FUNCTIONAL SERIES OF X1 RODS FOR THE MOST DEMANDING FISHERMEN, FOR THOSE WHO VALUE ABOVE ALL HIGH QUALITY OF THE ROD AND ITS RELIABILITY. FAST, LIGHT AND HIGHLY SENSITIVE ROD BLANK ISN'T WORSE THAN ITS MORE EXPENSIVE ANALOGUES. MOREOVER, THESE BLANKS ARE REINFORCED WITH THE APPLICATION OF PREPREGS WITH MULTI-DIRECTIONAL FIBRES AND SPECIAL CARBON WINDING IN ITS BUTT SECTION. THE ROD IS DEVELOPED, FIRST OF ALL, FOR TWITCHING AND JIG FISHING, THOUGH OF COURSE, YOU CAN USE IT ALSO FOR CLASSIC SPOONS AND SPINNERS.

SIMPLE DESIGN ELEMENTS ALLOWED TO MAKE THE ROD OF A RATHER REASONABLE PRICE. THOUGH IT IS SIMPLE BUT THE HANDLE IS ERGONOMIC ENOUGH AND HAS A COMFORTABLE GRIFF, AND MODERN GUIDES ARE LOCATED IN ACCORDANCE WITH THE KR-CONCEPTION.



✓	CODE	MODEL	LENGTH, M	ACTION	LURE TEST, G	LINE TEST, LB	WEIGHT, G
	16930323	X1-602UL	1.83	EX.FAST	0.5-5	4-6 LB	110
	16930324	X1-602L	1.83	EX.FAST	3-12	4-8 LB	115
	-	X1-602H	1.83	EX.FAST	12-36	15-35 LB	115
	16930325	X1-602EXH	1.83	EX.FAST	20-60	20-40 LB	120
	16930326	X1-662L	1.98	MOD.FAST	2-10	4-8 LB	130
	16930327	X1-662ML	1.98	EX.FAST	4-18	8-15 LB	135
	16930328	X1-702L	2.13	MOD.FAST	3-12	6-10 LB	155
	16930329	X1-702ML	2.13	EX.FAST	4-18	8-15 LB	175
	16930407	X1-702M	2.13	EX.FAST	5-21	10-20 LB	165
	16930330	X1-702MH	2.13	FAST	7-28	10-20 LB	175
	16930331	X1-702H	2.13	EX.FAST	10-36	12-30 LB	180
	16930408	X1-762M	2.29	EX.FAST	7-24	10-20 LB	180
	16930332	X1-762MH	2.29	FAST	7-28	10-20 LB	200
	16930333	X1-762H	2.29	EX.FAST	10-36	12-30 LB	175
	16930334	X1-802L	2.44	MOD.FAST	3-12	6-12 LB	180
	16930335	X1-802M	2.44	EX.FAST	7-21	10-20 LB	180
	16930336	X1-902MH	2.74	EX.FAST	10-35	10-30 LB	200

Exclusive

twitch special

IM36T CARBON

MULTI LAYER STRUCTURE
MLS



ALCONITE
GUIDE



THIS IS SPECIALIZED TWITCHING TECHNIQUE ROD WITH THE CHARACTERISTICS OF THE BLANK WHICH ARE THE BEST FOR IT: A MODERATE ACTION IN STATICS, RATHER HIGH STIFFNESS AND LOW INERTIA. A MODERATE ACTION OF THE ROD IN STATICS ACHIEVED BY CERTAIN TAPER OF THE BLANK BENEFITS TO THE CASTING DISTANCE OF THE HARD LURES. THE ROD IS WELL BALANCED. EXCLUSIVE TWITCH SPECIAL IS EQUIPPED WITH HIGH QUALITY FUJI COMPONENTS: HANDY FUJI VSS REEL SEAT AND TANGLE FREE FUJI K-TYPE GUIDES. EXCLUSIVE TWITCH SPECIAL HAS A NOTICE ON OF THE TEST OF MINNOW WOBBLERS SIZES WHICH ARE SUITABLE TO THIS ROD. THIS ROD CAN ALSO BE USED WITH OTHER FISHING TECHNIQUES; THE USE OF HIGH QUALITY MATERIAL MAKES THE BLANK QUITE SENSITIVE FOR COMFORTABLE USE SOFT BAITS.

SPINNING MODEL

CASTING MODEL



✓	CODE	MODEL	LENGTH, M	ACTION	LURE TEST, G	LINE TEST, LB	WEIGHT, G
	16933037	EXST-602M	1.83	MOD. FAST	5-21	8-14LB	127
	16933081	EXST-662M	1.95	MODERATE	5-21	8-14LB	126
	16933034	EXST-702MH	2.1	MODERATE	7-35	10-16LB	142
BAITCASTING							
	16933035	EXSTC-602M	1.83	MODERATE	7-21	10-16LB	160
	16933036	EXSTC-702MH	2.1	MODERATE	10-35	12-20LB	150

NOTES

VARITA



THIS SERIES OF SHORT RODS WAS DESIGNED PRIMARILY FOR BOAT FISHING IN FRESHWATER. THE COMBINATION OF THE SPECIAL GEOMETRY OF THE BLANK AND MULTIPLE LAYERS OF CARBON FIBER WITH DIFFERENT MODULARITY ALLOWED US TO CREATE A ROD WHICH HARMONIOUSLY COMBINES HIGH SENSITIVITY, RELATIVELY LOW WEIGHT AND IS VIRTUALLY "INDESTRUCTIBLE". VARITA RODS HAVE A FAST ACTION; THE ROD TIP IS RATHER INFORMATIVE. HOWEVER, AT THE SAME TIME, RODS HAVE EXCELLENT CASTING QUALITIES. POWERFUL AND THICK BUTT CAN EASILY HANDLE A BIG FISH AND FORCE STRUGGLE WITH IT IN HARD CONDITIONS. VARITA HAS BEEN SPECIFICALLY TESTED IN BASS FISHING. VARITA IS EQUIPPED WITH FUJI KL-H GUIDES WHICH ARE PLACED ACCORDING TO THE KR-CONCEPT AND THE SKELETAL FUJI REEL SEAT, WHICH PROVIDES MAXIMUM ACCESS TO THE BLANK AND INCREASES SENSORICS. IN A WORD THIS ROD IS DEDICATED TO THOSE WHO LOVE RELIABILITY, FUNCTIONALITY AND "INDESTRUCTIBILITY" OF AMERICAN SPINNING RODS.

SPINNING MODEL

CASTING MODEL



✓	CODE	MODEL	LENGTH, M	ACTION	LURE TEST, G	LINE TEST, LB	WEIGHT, G
	16936018	VRT-602H	1.80	FAST	15-45	12-25LB	119
	16936015	VRT-662UL	1.98	MOD. FAST	2-7	4-8LB	86
	16936016	VRT-662L	1.98	MOD. FAST	3-12	6-10LB	93
	16936011	VRT-662ML	1.98	MOD. FAST	5-16	8-12 LB	105
	16936012	VRT-702M	2.10	FAST	7-21	10-16 LB	123
	16936013	VRT-702MH	2.10	FAST	9-28	10-20 LB	132
	16936017	VRT-702H	2.10	FAST	15-55	12-25LB	151
BAITCASTING							
	16936014	VRTC-702MH	2.10	FAST	9-28	15-30LB	139

VIZOR



MULTI LAYER STRUCTURE
MLS



ALCONITE
GUIDE




VIZOR IS A NEW SERIES OF FAVORITE RODS DESIGNED ACCORDING TO THE VERY BEST TRADITIONS OF JAPANESE BASS SPINNING RODS, WITH A LARGE COMPETITIVE ADVANTAGE OVER THE LATTER – IT FEATURES SPINNING MODELS IN MEDIUM AND HEAVY CLASSES, WHICH IS NOT COMMON AMONG THE “JAPANESE” RODS. THESE SHORT, FAST, LIGHT AND SENSITIVE RODS HAVE RATHER CONE-SHAPED BLANKS. THEY ALSO FEATURE SIMPLE, ELEGANT DESIGN AND FUJI KR-CONCEPT GUIDES. THE SHORTENED FOREGRIP TOGETHER WITH ERGONOMIC FUJI NUT PROVIDES COMFORTABLE ACCESS TO TOUCHING THE BLANK. THESE RODS ARE DESIGNED PRIMARILY FOR BOTTOM STYLE SOFT BAITS FISHING OF PIKE AND ZANDER PERFORMED FROM A BOAT. ALSO IT IS SUITABLE FOR ANY CLASSIC BASS FISHING STYLES FOR ANGLERS WHO PREFER TO USE SPINNING REELS. THE JUNIOR MODELS OF THIS SERIES ARE GREAT FOR CATCHING A PERCH AND A CHUB BOTH WHEN JIGGING AND USING WOBBLERS.



✓	CODE	MODEL	LENGTH, M	ACTION	LURE TEST, G	LINE TEST, LB	WEIGHT, G
	16930156	VZR-602UL	1.83	MOD.FAST	1-7	4-6 LB	82
	16930157	VZR-602L	1.83	MOD.FAST	2-10	6-8 LB	96
	16930158	VZR-662ML	1.98	FAST	3-14	6-10 LB	99
	16930159	VZR-662M	1.98	FAST	5-21	8-16 LB	106
	16930160	VZR-702MH	2.10	FAST	7-28	10-20 LB	113
	16930148	VZR-802MH	2.44	FAST	7-28	10-20 LB	106
	16930149	VZR-802H	2.44	FAST	10-35	12-25 LB	116

NOTES

NEW SPIRIT



IM30T CARBON

MULTI LAYER STRUCTURE
MLS

SiC GUIDES



NEW SPIRIT - THE COMEBACK OF A POPULAR MODEL. THE MODEL RANGE AND BLANK ARE RENEWED. NEW SPIRIT RODS ARE MOSTLY SHORT MULTI-PURPOSE BOAT SPINNINGS GOOD FOR CATCHING PIKE AND PERCH, USING A SOFT BAITS AS WELL AS TWITCHING WITH HARD LURES. THE FANS OF AMERICAN STYLE BASS RODS WILL SURELY ENJOY THE STIFF BLANK. ALONG WITH THIS, THE CONICITY OF THE BLANK IS NOT BIG WHICH IS A VERY POSITIVE MOMENT DURING THE FIGHT WITH FISH.



✓	CODE	MODEL	LENGTH, M	ACTION	LURE TEST, G	LINE TEST, LB	WEIGHT, G
	16930364	NSP-602H	1.83	MOD. FAST	12-35	15-30 LB	124
	16930365	NSP-632L	1.90	MOD. FAST	3-12	6-10 LB	100
	16930366	NSP-662ML	1.98	MOD. FAST	4-18	8-12 LB	108
	16930367	NSP-692M	2.06	MOD. FAST	7-24	10-16 LB	121
	16930368	NSP-6102H	2.08	MOD. FAST	10-32	12-25 LB	126
	16930369	NSP-712ML	2.16	MOD. FAST	5-21	10-16 LB	123
	16930370	NSP-712M	2.16	MOD. FAST	9-28	10-20 LB	123

NOTES

DRIVE

SKYFLEX 36T

MULTI LAYER STRUCTURE
MLS


EX GRID



INFINITE REALITY
K-R CONCEPT



FISHING WITH A BAIT CASTING REELS IS GETTING MORE AND MORE POPULAR AMONG UKRAINIAN ANGLERS. THAT IS WHY IT WAS DECIDED TO LAUNCH A RANGE OF PROFESSIONAL BAIT CASTING RODS. THE TYPE FOR THESE RODS IS KNOWN AMONG THE FISHERMAN AS A "CLASSICAL BASS ROD". SHORT, SENSITIVE, "ANGRY" – IDEAL FOR MODERN TYPE OF FISHING. WE MANAGED TO FIND A BALANCE, WHICH HELPS NOT TO LOSE COMFORTABLE CASTING CHARACTERISTICS – THE BLANK WORKS WELL AT CASTING, WHILE SAVING ENOUGH STIFFNESS FOR TWITCHING. THE BUTT SECTION IS REINFORCED WITH THE SPECIAL CROSSING CARBON WRAPPING X-WRAP. DRIVE MODEL RANGE IS EASY TO FIT FOR ANY BAIT CASTING TECHNIQUE.



✓	CODE	MODEL	LENGTH, M	ACTION	LURE TEST, G	LINE TEST, LB	WEIGHT, G
	16930188	DRVC-642ML	1.93	MOD. FAST	5-14	8-16 LB	120
	16930189	DRVC-662L	1.98	MOD. FAST	3-12	6-10 LB	115
	16930190	DRVC-662M	1.98	MOD. FAST	7-21	10-20 LB	125
	16930192	DRVC-682MH	2.03	MOD. FAST	9-28	12-25 LB	130
	16930191	DRVC-702H	2.10	MOD. FAST	15-45	15-30 LB	145
	16930210	DRVC-762M	2.30	FAST	7-21	10-20 LB	152
	16930211	DRVC-762MH	2.30	MOD. FAST	9-28	10-25 LB	156
	16930212	DRVC-762H	2.30	MOD. FAST	15-45	15-30 LB	158

RODS

SHARD



A SERIES OF PROFESSIONAL RODS FOR BOAT FISHING MOSTLY. MAXIMALLY STIFF ROD BLANKS SHARD ARE MADE FROM JAPANESE CARBON TORAY, THE HIGHEST MODULUS 46TON, AND ARE REINFORCED WITH EIGHT-DIRECTIONAL CARBON NET OCG. IT PROVIDES THE ROD WITH THE HIGHEST LEVEL SENSITIVITY, EXCELLENT CASTING PERFORMANCE AND POWER. FAVORITE SHARD ARE DESIGNED FOR MODERN FISHING TECHNIQUES. THAT IS WHY THEY CAN BE USED FOR PIKE TWITCHING WITH BIG MINNOW HARD LURES AS WELL AS FOR BOTTOM SOFT BAITS FISHING FOR ZANDER IN CONDITIONS WHERE THE MAXIMUM BAIT CONTROL AND POWER FOR FAST FIGHTING ARE REQUIRED.

SHARD IS DIVIDED IN TWO SETS. ROD PROSERIES SHARD TZ IS EQUIPPED WITH TOP GUIDES FUJI TORZITE, WHILE THE CHEAPER VERSION IS EQUIPPED WITH GUIDES FUJI ALCONITE.

FAVORITE SHARD GOT A SILVER AWARD IN NOMINATION "THE BEST NEW ROD", DURING THE INTERNATIONAL FISHING SHOW IN BUDAPEST EFTTEX 2017.



✓	CODE	MODEL	LENGTH, M	ACTION	LURE TEST, G	LINE TEST, LB	WEIGHT, G
ALCONITE							
	16930309	SRD-702MH	2.13	EX. FAST	7-28	12-20LB	146
TORZITE							
	16930310	SRDTZ-702MH	2.13	EX. FAST	7-28	12-20LB	143
	16930311	SRDTZ-701MH	2.13	EX. FAST	9-28	10-20 LB	135

NOTES

PROFESSIONAL

SKYFLEX 36T

MULTI LAYER STRUCTURE
MLS

SiC GUIDES



NEW FAVORITE PROFESSIONAL IS A UNIVERSAL ROD IN AN UPGRADED DESIGN. THE ROD HAS THE SAME GEOMETRY AND THE BASIC CONCEPT OF BLANK, BUT WE USED ADVANCED MATERIALS TO INCREASE ITS STIFFNESS AND SENSITIVITY. MAINLY THE ROD COMPONENTS WERE CHANGED. THE UPGRADED MODEL IS EQUIPPED WITH MODERN GUIDES THAT PREVENT TANGLING; THEY ARE PLACED ACCORDING TO THE KR CONCEPT. IN GUIDES WE USE LIGHTWEIGHT COMPACT INSERTIONS, AN ANALOGUE OF FUJI TORZITE. THE ROD IS ABLE TO MANAGE THE WIDEST RANGE OF LURES. AND THE MAIN THING IT IS VERY RESISTANT. WITH THIS BLANK, YOU CAN DO REALLY A LOT. WITH PROFESSIONAL ROD YOU CAN GO FISHING FOR CHUB IN A SMALL FOREST RIVER, AS WELL AS FOR EXOTIC FISH ON THE REEFS OF FARAWAY ISLANDS.



✓	CODE	MODEL	LENGTH, M	ACTION	LURE TEST, G	WEIGHT, G
	16930409	PRF-732UL	2.2	FAST	2-8	97
	16930410	PRF-732L	2.2	FAST	3-12	100
	16930411	PRF 732ML	2.2	FAST	4-15	100
	16930412	PRF 732M	2.2	FAST	5-20	110

NOTES

G-Stick

SKYFLEX 36T

MULTI LAYER STRUCTURE
MLS

SiC GUIDES



THERE ARE MANY REPRESENTATIVES OF THE GENTLER SEX AMONG FANS OF LURE FISHING, HOWEVER NO MAKER HAS PRODUCED A STYLISH SPINNING SO FAR. WE'VE DEVELOPED QUITE THE UNIVERSAL ROD WHICH COMBINES LIGHTNESS AND DESIGN AND WILL LEAVE NO WOMAN UNIMPRESSED. NOW THEY'LL HAVE A DIFFERENT TASK – MATCH THE NAIL POLISH WITH THE BLANK COLOR.



✓	CODE	MODEL	LENGTH, M	ACTION	LURE TEST, G	WEIGHT, G
	16930167	GST-732L	2.2	FAST	2-10	101

NOTES

Synapse BFS

SKYFLEX 40T

MULTILAYER STRUCTURE
MLS
SLIM



TZ TORZITE

TITANIUM
LIGHTER & STRONGER

K-R INFINITE REALITY
CONCEPT



BFS - BAIT FINESSE SYSTEM, VERY POPULAR DIRECTION OF BAITCASTING IN JAPAN IN RECENT YEARS. IMPLIES THE USAGE OF THE BAITCASTING TACKLE IN LIGHT AND ULTRA-LIGHT FISHING. HOWEVER, MOST JAPANESE BRANDS BFS RODS ARE DESIGNED FOR BASS FISHING AND ARE TOO POWERFUL FOR CLASSICAL EUROPEAN FISH. WE DEVELOPED A BAITCASTING ROD FOR FISHING WITH LIGHT AND ULTRA-LIGHT LURES THAT ARE IDEAL FOR PERCH, PIKE, ZANDER, CHUB, TROUT AND FISHING WITH OUR STANDARD TECHNIQUES. THE LIGHTEST ROD IN THE LINEUP, IS PROBABLY ONE OF THE MOST LIGHT SERIAL BAITCASTING RODS TODAY AND WITH THE APPROPRIATE REEL ALLOWS YOU FISHING A WEIGHTS FROM 1 G. SYNAPSE BFS LIMITED RODS EQUIPPED WITH MOST TECH GUIDES AT THE MOMENT - FUJI TORZITE.



✓	CODE	MODEL	LENGTH, M	ACTION	LURE TEST, G	LINE TEST, LB	WEIGHT, G
	16930203	SYSBF-662UL	1,98	FAST	2-7	2-6 LB	87
	16930204	SYSBF-662L	1,98	FAST	3-10	4-8 LB	91
	16930205	SYSBF-702ML	2,1	FAST	5-14	6-10 LB	101

NOTES

Synapse

SKYFLEX 40T

MULTI LAYER STRUCTURE
MLS
SLIM



TITANIUM
LIGHTER & STRONGER



SYNAPSE IS A NEW SERIES OF RODS SPECIALLY DESIGNED FOR LIGHT AND ULTRA LIGHT FISHING. THE SYNAPSE ROD SERIES IS CONSTRUCTED TO MEET THE NEEDS OF LIGHT FISHING FANS. THIS SERIES CONSISTS OF TWO CONCEPTUALLY DIFFERENT RODS: SYNAPSE – A ALL-ROUND ROD AND SYNAPSE TWITCH SPECIAL – SPECIAL RODS FOR TWITCHING TECHNIQUE. ALL SYNAPSE RODS ARE EQUIPPED WITH LIGHT-WEIGHT TITANIUM FUJI AT GUIDES AND ERGONOMIC SPLIT HANDLE. THE THICKENING OF THE GRIP RESTS COMFORTABLY IN THE PALM OF THE HAND, SHORTENED FOREGRIP ALLOWS PUTTING INDEX FINGER EASILY ON THE BLANK THUS ACHIEVING MAXIMUM SENSITIVITY AND EASE OF LIGHT BAIT MANIPULATING.



✓	CODE	MODEL	LENGTH, M	ACTION	LURE TEST, G	LINE TEST, LB	WEIGHT, G
	16933013	SYS-662UL	1,98	M-FAST	1-5	4-6 LB	80
	16933014	SYS-662L	1,98	M-FAST	2-12	4-8 LB	82
	16933015	SYS-702ML	2,13	M-FAST	4-16	6-10 LB	87
	16933016	SYS-742M	2,24	M-FAST	5-20	8-12 LB	91
TWITCHING SPECIAL							
	16933017	SYST-602UL	1,82	MODERATE	2-8	4-6 LB	83
	16933018	SYST-662L	1,98	MODERATE	3-12	6-8 LB	90
	16933019	SYST-702ML	2,13	MODERATE	4-16	8-10 LB	93

ARENA

IM30T CARBON

MULTI LAYER STRUCTURE
MLS
SLIM

SiC GUIDES



ARENA IS A NEW FAVORITE ROD DESIGNED FOR AREA TROUT FISHING. THE MODEL RANGE INCLUDES FOUR MODIFICATIONS WHICH HAVE ALL THE REQUIRED CHARACTERISTICS NEEDED IN A REFINED TROUT FISHING TOOL. A SENSITIVE BLANK LETS YOU HAVE A FULL LURE CONTROL EVEN USING THE NYLON LINE. MODERATE SLOW "TROUT" ACTION HELPS YOU TO CATCH A FISH WITH A MINIMAL LOST PERCENTAGE EVEN USING BARBLESS HOOKS. ROD HAS A LOW TOTAL WEIGHT, ALLOWING YOU TO CREATE A COMPLEX LURE ANIMATION. ARENA CAN EASILY BE HANDLED WITH SPOONS, LIGHT TROUT HARD LURES, AND MICRO SOFT BAITS.



✓	CODE	MODEL	LENGTH, M	ACTION	LURE TEST, G	LINE TEST, LB	WEIGHT, G
	16930223	ARN 602-XUL	1.83	MOD. SLOW	0.6-3	2-4 LB	73
	16930224	ARN 632-SUL	1.9	MOD. SLOW	0.8-3.5	2-4 LB	74
	16930225	ARN 662-SUL	1.98	MOD. SLOW	1-4	2.5-5 LB	77
	16930260	ARN 682-UL	2.04	MOD. SLOW	1.5-5	2.5-5 LB	78

NOTES

RODS

ARENA Stream

IM30T CARBON

MULTILAYER STRUCTURE
MLS
SLIM

SiC GUIDES



THE MAIN DIFFERENCE BETWEEN THIS ROD AND THE CLASSIC ARENA MODEL IS THE TYPICAL SHAPE OF JAPANESE RODS THIS ONE HAS, WHICH ARE USED FOR TROUT FISHING IN RIVERS. A MODERATE FAST ACTION ROD WITH A RATHER STIFF BLANK, MAKES IT A PERFECT ROD FOR TWITCHING WITH SINKING MINNOW TYPE HARD LURES IN FAST STREAMS AND ACCURATE CASTING. FOR SURE WE CAN USE THIS ROD NOT ONLY FOR TROUT BUT ALSO ALL-ROUND ULTRALIGHT, WHICH ARE USED, FIRST OF ALL, FOR FISHING WITH WOBBLERS. THE ROD IS PERFECT FOR CHUBS, IDE, PERCH. THE ARENA STREAM ROD HAS A CLASSIC REEL SEAT MADE FROM CAMPHORWOOD, EQUIPPED WITH ANTI-BACKLASH GUIDES LOCATED ACCORDING TO THE KR-CONCEPTION. IT HAS LIGHT THIN INSERTIONS TOO, WHICH ARE EQUIVALENT TO THE TORZITE INSERTIONS FROM FUJI.

SPINNING MODEL

CASTING MODEL



✓	CODE	MODEL	LENGTH, M	ACTION	LURE TEST, G	LINE TEST, LB	WEIGHT, G
	16930262	ARNS-562SUL	1.68	MOD. SLOW	1-5	1-4 LB	86
	16930263	ARNS-602UL	1.8	MOD. SLOW	2-7	2-5 LB	94
	16930264	ARNS-662UL	1.98	MOD. SLOW	3-10	3-6 LB	96
TWITCHING SPECIAL							
	16930265	ARNC-602UL	1.8	MOD. SLOW	2-7	2-5 LB	96

NOTES

BALANCE

IM30T CARBON

MULTI LAYER STRUCTURE
MLS

SiC GUIDES



THIS IS A SERIES OF BUDGET RODS, WHICH PROVES THAT THE QUALITY OF PRODUCTION IS NOT THE PREROGATIVE OF EXPENSIVE THINGS ALONE. THE BASIC IDEA OF THE NEW ROD IS A COMBINATION OF QUALITY, FUNCTIONALITY AND AVAILABILITY, HENCE THE NAME. NO COMPROMISES WERE MADE - YOU GET EXCELLENT QUALITY AT AN AFFORDABLE PRICE. SHORT, LIGHTWEIGHT AND BALANCED RODS OF THE BALANCE SERIES ARE DESIGNED FOR FISHING BOTH WHEN USING HARD LURES AND LIGHT SPINNERS AND SPOONS FOR A PERCH AS WELL AS CHUB, ASP, AND IDE.



✓	CODE	MODEL	LENGTH, M	ACTION	LURE TEST, G	LINE TEST, LB	WEIGHT, G
	16930371	BLC-602SUL	1.83	MOD. FAST	1-5	4-6 LB	87
	16930372	BLC-602UL	1.83	MOD. FAST	2-7	4-8 LB	98
	16930373	BLC-662UL	2.01	MOD. FAST	2-7	4-6 LB	95
	16930374	BLC-662L	2.01	MOD. FAST	3-10	6-8 LB	104
	16930360	BLC-702UL	2.13	MOD. FAST	2-7	6-8 LB	93
	16930361	BLC-702L	2.13	MOD. FAST	3-10	6-8 LB	106
	16930362	BLC-732L	2.20	MOD. FAST	3-12	6-10 LB	112
	16930363	BLC-732ML	2.20	MOD. FAST	4-15	6-10 LB	116

SAPPHIRE



FEATHER LIGHT ROTOR



GEAR RATIO
5.2:1

- FEATHER LIGHT ROTOR
- CARBON DRAG
- TITANIUM NITRIDE COVERED ANTI-TWIST LINE ROLLER AND SPOOL LIP
- 6+1 STAINLESS STEEL BALL BEARINGS
- 5.2:1 GEAR RATIO



BUDGET MULTIPURPOSE REEL. "WORKHORSE" IN OUR RANGE. WELL BALANCED LIGHT ROTOR PROVIDES SMOOTH REELING AND GOOD SENSITIVITY. 6+1 BALL BEARINGS INSTALLED IN "RIGHT PLACES" THAT PROVIDES DURABILITY AND GOOD FUNCTION FOR THE REEL. EVEN THE MODEL IS BUDGET IT IS STILL READY TO USE VERY THIN JAPANESE PE LINES. IT IS ONE OF THE MAIN ADVANTAGES OF OUR REELS.

✓	CODE	MODEL	MAX DRAG, LB	NYLON LINE CAPACITY (MM/M)	BRAIDED LINE CAPACITY (PE/M)	WEIGHT, G
	16935065	1000	12	0.148/130; 0.165/100	0.8/130; 1/100	175
	16935066	1000 S	12	0.105/100; 0.128/70	0.4/100; 0.3/140	175
	16935048	2000	16	0.205/240; 0.235/200; 0.26/160	#1/240; #1.5/150; #2/120	245
	16935051	2000 S	16	0.165/120; 0.185/100; 0.205/80	#0.6/150; #0.8/130; #1/100	245
	16935049	2500	16	0.235/240; 0.26/200; 0.285/180	#1.5/200; #2/150; #2.5/120	259
	16935052	2500 S	16	0.185/150; 0.205/120; 0.26/90	#1/200; #1.2/150; #1.5/120	259
	16935050	4000	22	0.26/290; 0.285/260; 0.31/230	#3/280; #3.5/250; #4/220	295
	16935053	4000 S	22	0.205/150; 0.26/120; 0.285/90	#2/180; #2.5/150; #3/120	295

✓	CODE	ADD. SPOOL
	16935083	1000
	16935084	1000 S
	16935054	2000
	16935057	2000 S
	16935055	2500
	16935058	2500 S
	16935056	4000
	16935059	4000 S

HURRICANE



FEATHER LIGHT ROTOR



10+1 BALL BEARINGS

GEAR RATIO
5.2:1

- CARBON COMPOSITE BODY
- FEATHER LIGHT ROTOR
- HD GEAR
- CARBO DRAG
- TITANIUM NITRIDE COVERED ANTI-TWIST LINE ROLLER
- 10+1 STAINLESS STEEL BALL BEARINGS
- 5.2:1 GEAR RATIO



THESE NEW REEL HAVE A LOT OF FEATURES THAT COMMON FOR MORE EXPENSIVE REELS OF FAMOUS BRANDS. HURRICANE REEL WAS DESIGNED FOR LURE FISHING MAINLY, SO THE MOST IMPORTANT FEATURE IS GOOD WINDING OF THIN PE LINES. LIGHTWEIGHT ROTOR PROVIDES VERY SMOOTH REELING AND INCREASE SENSITIVITY WHEN USE FINESSE RIGS. HEAVY DUTY GEAR SYSTEM – HANDLE CONNECTED TO THE MAIN GEAR WITH SCREW ELIMINATING ANY “PLAY” IN HANDLE AND IT IS ROTATING VERY SMOOTHLY. THE LIGHTWEIGHT MAIN GEAR MOUNTED ON VERY DURABLE STAINLESS STEEL SHAFT. THICK MAIN SHAFT IS ALSO MADE FROM STAINLESS STEEL. CARBON DRAG WORKS VERY SMOOTHLY AND ACCURATELY.

✓	CODE	MODEL	MAX DRAG, LB	NYLON LINE CAPACITY (MM/M)	BRAIDED LINE CAPACITY (PE #/M)	WEIGHT, G	✓	CODE	ADD. SPOOL
	16935063	1000	12	0.148/130; 0.165/100	0.8/130; 1/100	175		16935081	1000
	16935064	1000 S	12	0.105/100; 0.128/70	0.4/100; 0.3/140	175		16935081	1000 S
	16935029	2000	16	0.205/240; 0.235/200; 0.26/160	1/240; 1.5/150; 2/120	258		16935038	2000
	16935032	2000 S	16	0.165/120; 0.185/100; 0.205/80	0.6/150; 0.8/130; 1/100	258		16935041	2000 S
	16935030	2500	16	0.235/240; 0.26/200; 0.285/180	1.5/200; 2/150; 2.5/120	262		16935039	2500
	16935033	2500 S	16	0.185/150; 0.205/120; 0.26/90	1/200; 1.2/150; 1.5/120	262		16935042	2500 S
	16935031	4000	22	0.26/290; 0.285/260; 0.31/230	3/280; 3.5/250; 4/220	303		16935040	4000
	16935034	4000 S	22	0.205/150; 0.26/120; 0.285/90	2/180; 2.5/150; #3/120	303		16935043	4000 S

REELS

Sirius




FEATHER LIGHT ROTOR



GEAR RATIO
5.2:1

- METAL BODY
- FEATHER LIGHT ROTOR
- HD GEAR
- CARBON DRAG
- TWO METAL SPOOL (SHALLOW AND DEEP)
- TITANIUM NITRIDE COVERED ANTI-TWIST LINE ROLLER AND SPOOL LIP
- 10+1 STAINLESS STEEL BALL BEARINGS
- 5.2:1 GEAR RATIO



THESE NEW REEL HAVE A LOT OF FEATURES THAT COMMON FOR MORE EXPENSIVE REELS OF FAMOUS BRANDS. SIRIUS WAS DESIGNED FOR LURE FISHING MAINLY, SO THE MOST IMPORTANT FEATURE IS GOOD WINDING OF THIN PE LINES. LIGHTWEIGHT ROTOR PROVIDES VERY SMOOTH REELING AND INCREASE SENSITIVITY WHEN USE FINESSE RIGS. HEAVY DUTY GEAR SYSTEM – HANDLE CONNECTED TO THE MAIN GEAR WITH SCREW ELIMINATING ANY “PLAY” IN HANDLE AND IT IS ROTATING VERY SMOOTHLY. THE LIGHTWEIGHT MAIN GEAR MOUNTED ON VERY DURABLE STAINLESS STEEL SHAFT. THICK MAIN SHAFT IS ALSO MADE FROM STAINLESS STEEL. CARBON DRAG WORKS VERY SMOOTHLY AND ACCURATELY.

✓	CODE	MODEL	MAX DRAG, LB	ADD. SPOOL	NYLON LINE CAPACITY (MM/M)	BRAIDED LINE CAPACITY (PE #/M)	WEIGHT, G
	16935035	2000 S	16		0.165/120; 0.185/100; 0.205/80	1/240; 1.5/150; 2/120	275
				2000	0.205/240; 0.235/200; 0.26/160	0.6/150; 0.8/130; 1/100	
	16935036	2500 S	16		0.185/150; 0.205/120; 0.26/90	1.5/200; 2/150; 2.5/120	280
				2500	0.235/240; 0.26/200; 0.285/180	1/200; 1.2/150; 1.5/120	
	16935037	4000 S	22		0.205/150; 0.26/120; 0.285/90	3/280; 3.5/250; 4/220	330
				4000	0.26/290; 0.285/260; 0.31/230	2/180; 2.5/150; 3/120	

 *Blue Bird*



FEATHER LIGHT ROTOR

8+1
BALL BEARINGS

GEAR RATIO
5.2:1

- FEATHER LIGHT ROTOR;
- 8 HIGH QUALITY ROLLER BEARINGS, 5 OF WHICH ARE MADE FROM STAINLESS STEEL. THIS IS WHY THE REEL CAN BE USED FOR SALTWATER FISHING;
- A PERFECT MATCH TO THE SPINNING SERIES BLUE BIRD 2016.



THE 2017 FAVORITE BLUE BIRD REEL - AN ABSOLUTELY NEW ULTRALIGHT REEL, AN UPDATED VERSION OF THE BLUE BIRD REEL WITH NEW DESIGN, MATERIALS, NUMBER OF BEARINGS, AND QUALITY. IT'S A PERFECT MATCH TO THE RODS FROM THE SAME NAME SERIES, AND IT PERFECTLY WORKS WITH THIN LINES.

✓	CODE	MODEL	MAX DRAG, LB	NYLON LINE CAPACITY (MM/M)	BRAIDED LINE CAPACITY (PE/M)	WEIGHT, G
	16935067	1000	12	0.148/130; 0.165/100	0.8/130; 1/100	175
	16935068	1000 S	12	0.105/100; 0.128/70	0.4/100; 0.3/140	175
	16935061	2000 S	16	0.165/120; 0.185/100; 0.205/80	#0.6/150; #0.8/130; #1/100	245
	16935062	2500 S	16	0.185/150; 0.205/120; 0.26/90	#1/200; #1.2/150; #1.5/120	264

✓	CODE	ADD. SPOOL
	16935077	1000
	16935078	1000 S
	16935079	2000 S
	16935080	2500 S

NOTES

REELS

ARENA



FEATHER LIGHT ROTOR



GEAR RATIO
5.2:1

- HIGH MODULUS CARBON AIRLITE BODY AND ROTOR
- TITANIUM NITRIDE COVERED ANTI-TWIST LINE ROLLER AND SPOOL LIP
- 10 STAINLESS STEEL BALL BEARINGS + 1 ROLLER BEARING
- GEAR RATIO 5.2:1
- STAINLESS STEEL MAIN SHAFT



IT'S A REAL ULTRALIGHT REEL THAT DOES NOT HAVE LESS FUNCTIONALITY THAN THE REELS IN THE MIDDLE-PRICE RANGE OF WELL-KNOWN BRANDS. FOR THE REEL BODY AND ROTOR, HIGH MODULUS CARBON AIRLITE IS USED. THIS MATERIAL ALLOWS FOR LOWERING THE REEL WEIGHT AND ROTOR INERTIA THAT MAKES ROTATION OF THE REEL VERY SMOOTH AND EASY. THE REEL WORKS WITH THE FINEST JAPANESE LINES THANKS TO ITS PERFECT LINE WINDING ABILITY AND MODIFIED IN A SPECIAL WAY LINE ROLLER. ALSO THERE IS TWO BALL BEARINGS IN THE LINE ROLLER. FOR THE REEL, THE HD GEAR TECHNOLOGY IS APPLIED. THE HANDLE IS CONNECTED DIRECTLY TO THE MAIN GEAR. THE ARENA REEL CAN BE USED FOR TROUT FISHING IN RIVERS AND PONDS AND FOR FINESSE FRESHWATER FISHING WITH SOFTBAITS AND OTHER KINDS OF ULTRALIGHT FISHING AS WELL.

✓	CODE	MODEL	MAX DRAG, LB	NYLON LINE CAPACITY (MM/M)	BRAIDED LINE CAPACITY (PE #/M)	WEIGHT, G
	16935069	1500 S	9	0.128/150; 0.148/100	0.3/200; 0.4/150	160
	16935070	C2000 S	9	0.128/180; 0.165/75	0.4/200; 0.6/150	180
	16935071	C2500 S	15	0.165/170; 0.185/130	0.6/250; 0.8/150	220

✓	CODE	ADD. SPOOL
	16935073	1500 S
	16935074	C 2000 S
	16935075	C 2500 S

NOTES

SMART PE 3x



- IT IS MADE FROM RESISTANT MATERIAL H-GRADE PE, IT IS OPTIMALLY SOFT AND IS EXTREMELY ABRASION-RESISTANT.
- THE SILICONE UPPER LAYER SI-COATING CREATES A SOFT AND SLICK SURFACE. THE FRICTION IN THE GUIDES IS DECREASED, THAT IS WHY CASTING DISTANCE IS BIGGER. THE LINE WITH SUCH UPPER LAYER IS MORE WATER RESISTANT.
- LIFETIME PAINTING KEEPS THE LINE COLOUR FOR A LONG PERIOD OF TIME.



3-CARRIER LINE IS A COMPROMISE SOLUTION FOR THOSE WHO NEED INEXPENSIVE THOUGH VERY THIN LINES. SUCH LINE IS MADE FROM 3 CARRIERS MADE FROM BASIC MATERIAL; THAT IS WHY IT IS CHEAPER THAN THE 4-CARRIER ONE, ITS THICKNESS STARTS FROM #0.15, JAPANESE SIZE. THOUGH, THERE ARE SOME DISADVANTAGES IN LINES MADE FROM A LESS NUMBER OF CARRIERS: SUCH LINE IS NOT SO ROUND, AND IT IS LESS RESISTANT THAN THE LINE MADE WITH FOUR CARRIERS.

✓	CODE	COLOR 1	✓	CODE	COLOR 2	PE	DIA, MM	STRENGTH, LB	STRENGTH, KG	LENGTH, M
	16931060	LIGHT GREEN		16931050	FLUO YELLOW	# 0.15	0.066	2.5	1.2	150
	16931061	LIGHT GREEN		16931051	FLUO YELLOW	# 0.2	0.076	4	1.9	150
	16931062	LIGHT GREEN		16931052	FLUO YELLOW	# 0.25	0.085	5	2.2	150
	16931063	LIGHT GREEN		16931053	FLUO YELLOW	# 0.3	0.09	6	2.9	150
	16931064	LIGHT GREEN		16931054	FLUO YELLOW	# 0.4	0.104	7.5	3.5	150
	16931065	LIGHT GREEN		16931055	FLUO YELLOW	# 0.5	0.117	9	4.1	150
	16931066	LIGHT GREEN		16931056	FLUO YELLOW	# 0.6	0.132	12	5.4	150
	16931067	LIGHT GREEN		16931057	FLUO YELLOW	# 0.8	0.153	15	6.8	150
	16931068	LIGHT GREEN		16931058	FLUO YELLOW	# 1	0.171	19	8.7	150
	16931069	LIGHT GREEN		16931059	FLUO YELLOW	# 1.2	0.187	20	9.5	150

SMART PE 4^x



- IT IS MADE FROM RESISTANT MATERIAL H-GRADE PE, IT IS OPTIMALLY SOFT AND IS EXTREMELY ABRASION-RESISTANT.
- THE SILICONE UPPER LAYER SI-COATING CREATES A SOFT AND SLICK SURFACE. THE FRICTION IN THE GUIDES IS DECREASED, THAT IS WHY CASTING DISTANCE IS BIGGER. THE LINE WITH SUCH UPPER LAYER IS MORE WATER RESISTANT.
- LIFETIME PAINTING KEEPS THE LINE COLOUR FOR A LONG PERIOD OF TIME.



FAVORITE SMART PE IS A UNIVERSAL 4-CARRIER BRAIDED LINE FOR SPINNING RODS. HIGH QUALITY MATERIALS, AFFORDABLE PRICE AND THE RELIABILITY OF A JAPANESE MANUFACTURER – ALL THOSE FACTORS MAKE THE FAVORITE SMART PE LINE THE BEST OPTION FOR THOSE WHO START FISHING AND FOR AMATEUR FISHERMEN.

✓	CODE	COLOR 1	✓	CODE	COLOR 2	PE	DIA, MM	STRENGTH, LB	STRENGTH, KG	LENGTH, M
	16931041	LIGHT GREEN		16931042	ORANGE	# 0.3	0.09	6	2.9	150
	16931037	LIGHT GREEN		16931039	ORANGE	# 0.4	0.104	7.5	3.5	150
	16931038	LIGHT GREEN		16931040	ORANGE	# 0.5	0.117	9	4.1	150
	16931023	LIGHT GREEN		16931015	ORANGE	# 0.6	0.132	12	5.4	150
	16931024	LIGHT GREEN		16931016	ORANGE	# 0.8	0.153	15	6.8	150
	16931025	LIGHT GREEN		16931017	ORANGE	# 1	0.171	19	8.7	150
	16931026	LIGHT GREEN		16931018	ORANGE	# 1.2	0.187	20	9.5	150
	16931027	LIGHT GREEN		16931019	ORANGE	# 1.5	0.209	25	11.4	150
	16931028	LIGHT GREEN		16931020	ORANGE	# 2	0.242	30	13.8	150
	16931029	LIGHT GREEN		16931021	ORANGE	# 2.5	0.27	35	16.4	150
	16931030	LIGHT GREEN		16931022	ORANGE	# 3	0.296	41	19	150

SMART PE 8x



- IT IS MADE FROM RESISTANT MATERIAL H-GRADE PE, IT IS OPTIMALLY SOFT AND IS EXTREMELY ABRASION-RESISTANT.
- THE SILICONE UPPER LAYER SI-COATING CREATES A SOFT AND SLICK SURFACE. THE FRICTION IN THE GUIDES IS DECREASED, THAT IS WHY CASTING DISTANCE IS BIGGER. THE LINE WITH SUCH UPPER LAYER IS MORE WATER RESISTANT.
- LIFETIME PAINTING KEEPS THE LINE COLOUR FOR A LONG PERIOD OF TIME.



THE LINE IS MADE OF 8 CARRIERS, WHICH ADDS TO ITS DENSITY AND MAKES IT MORE ROUND AND SMOOTH THAN THE 4-CARRIER BRAIDED ONE. THIS ALLOWS TO CAST TO A FARTHER DISTANCE, THE FRICTION NOISE IN THE GUIDES IS REDUCED; MOREOVER, THERE IS LESS WATER RESISTANCE WHEN FISHING IN DEEP WATER, AND A BETTER CONTACT WITH THE LURE IS PROVIDED.

✓	CODE	COLOR 1	✓	CODE	COLOR 2	PE	DIA, MM	STRENGTH, LB	STRENGTH, KG	LENGTH, M
	16931079	RED ORANGE		16931070	SKY BLUE	# 0.5	0.117	9	4.1	150
	16931080	RED ORANGE		16931071	SKY BLUE	# 0.6	0.132	12	5.4	150
	16931081	RED ORANGE		16931072	SKY BLUE	# 0.8	0.153	15	6.8	150
	16931082	RED ORANGE		16931073	SKY BLUE	# 1	0.171	19	8.7	150
	16931083	RED ORANGE		16931074	SKY BLUE	# 1.2	0.187	20	9.5	150
	16931084	RED ORANGE		16931075	SKY BLUE	# 1.5	0.209	25	11.4	150
	16931085	RED ORANGE		16931076	SKY BLUE	# 2	0.242	30	13.8	150
	16931086	RED ORANGE		16931077	SKY BLUE	# 2.5	0.256	35	16.4	150
	16931087	RED ORANGE		16931078	SKY BLUE	# 3	0.296	41	19	150

BRAIDED LINES

ARENA



- IT IS MADE FROM HIGHLY RESISTANT MATERIAL S-GRADE PE AND HAS A VERY DENSE WEAVING. THAT IS WHY THESE LINES ARE VERY THIN AND EXCEPTIONALLY SENSITIVE, MOREOVER, THEY ARE VERY RESISTANT.
- THE SILICONE UPPER LAYER Si-COATING CREATES A SOFT AND SLICK SURFACE. THE FRICTION IN THE GUIDES IS DECREASED, THAT IS WHY CASTING DISTANCE IS BIGGER. THE LINE WITH SUCH UPPER LAYER IS MORE WATER RESISTANT.
- LIFETIME PAINTING KEEPS THE LINE COLOUR FOR A LONG PERIOD OF TIME.



FAVORITE ARENA IS A 4-CARRIER BRAIDED SPECIALIZED AREA LINE. IT IS VERY THIN, ROUND AND DENSE, THAT IS WHY IT IS EASY TO HANDLE WITH LIGHTWEIGHT LURES, AND IT IS BETTER TO CONTROL THEM AS WELL. THEY ARE SUITABLE FOR FISHING FOR TROUT AND OTHER TYPES OF ULTRALIGHT FISHING, FOR EXAMPLE MICRO-JIGGING. IT IS DESIGNED IN TWO COLOURS: STEEL GREY AND PURPLE. THE PURPLE ONE IS BRIGHTER AND MORE NOTICEABLE THAN COMMO LIGHT GREEN, PINK AND BLUE LINES. STEEL GREY IS NOT SO VISIBLE FOR FISH IN THE WATER THOUGH A FISHERMAN CAN SEE THE STEEL GREY LINE BETTER THAN COMMON DARK GREEN AND BLACK COLOURS.

✓	CODE	COLOR 1	✓	CODE	COLOR 2	PE	DIA, MM	STRENGHT, LB	STRENGHT, KG	LENGTH, M
	16931100	PURPLE		16931092	STEEL GREY	# 0.175	0.071	3	1.4	100
	16931101	PURPLE		16931093	STEEL GREY	# 0.2	0.076	5	2.1	100
	16931102	PURPLE		16931094	STEEL GREY	# 0.3	0.09	6	3	100
	16931103	PURPLE		16931095	STEEL GREY	# 0.4	0.104	8	3.5	100
	16931096	PURPLE		16931088	STEEL GREY	# 0.175	0.071	3	1.4	150
	16931097	PURPLE		16931089	STEEL GREY	# 0.2	0.076	5	2.1	150
	16931098	PURPLE		16931090	STEEL GREY	# 0.3	0.09	6	3	150
	16931099	PURPLE		16931091	STEEL GREY	# 0.4	0.104	8	3.5	150

DFG-003 CARBON



DFG-005 CARBON



LIP GRIP FAVORITE CAN HOLD FOR YOU EVEN SPIKY OR TOOTHY FISH, WITHOUT ANY CONSEQUENCES FOR YOU. METALLIC LIP GRIP IS EQUIPPED WITH THIN STAINLESS STEEL GRIP SWIVELS. THEY ARE VERY ELABORATE, BUT THEY CAN HANDLE SMALL AS WELL AS VERY BIG FISH. THIS LIP GRIP IS VERY CONVENIENT TO HANDLE, THAT IS WHY YOU CAN EASILY HOLD THE FISH WITH ONE HAND. A PLASTIC RETRIEVER CAN HELP YOU TO AVOID LOSING IT.

DFS-0103



DFS-0103 CARBON

DFA-0509



✓	CODE	ITEM	MODEL	LENGTH, MM	WEIGHT, G
	16931106	LIP GRIP	DFG-003 CARBON	150	97
	16931105	LIP GRIP	DFG-005 CARBON	238	149
	16931107	PLIERS	DFS-0103	155	95
	16931108	PLIERS	DFS-0103 CARBON	155	95
	16931111	PLIERS	DFA-0509	142	72
	16931109	PLIERS	DFA-0606	180	109
	16931110	PLIERS	DFA-0606F	180	100
	16931002	PLIERS	FPB06SR	190	115
	16931001	PLIERS	FPF01R	190	110

TOOLS



DFA-0606



DFA-0606F



FPB06SR



FPF01R

PLIERS FAVORITE ARE MADE FROM AIRCRAFT ALUMINIUM, WITH A SPECIAL ANODE LAYER. THE CUTTING ELEMENTS MADE FROM RESISTANT ALLOY CAN EASILY MANAGE A MONO OR BRAIDED LINE. THEY ARE EQUIPPED WITH DETACHABLE ELEMENTS, WHICH CAN BE REPLACED WHEN THERE IS A NEED. THE CUTTER SPREADER IS USED FOR FIXING THE GUIDES AND A TOOL FOR FIXING TUBES WILL BE USEFUL IF YOU MAKE METALLIC TRACES. THE TOOL HAS ERGONOMIC HANDLE AND SUPPLIED WITH A PLASTIC RETRIEVER WITH A CLASP, THAT'S WHY PLIERS IS VERY CONVENIENT TO USE.

PLIERS CASE

COVER FAVORITE FOR PLIERS, THIS IS A PERFECT CHOICE FOR THOSE WHO LOVE KEEPING THEIR TOOLS AT HAND, ITS MAIN ADVANTAGES ARE A RIGID BASE AND A FASTENING FOR THE BELT. ITS SIZE IS COMPATIBLE WITH ALL FAVORITE PLIERS.

✓	CODE	ITEM	SIZE, MM
	16931104	PLIERS CASE	200 x 90



BASEBALL CAP



BASEBALL CAP, WHICH YOU CAN WEAR FOR FISHING TRIPS DURING SPRING AND SUMMER. WITH A ROBUST FRONT PART AND CURVED PEAK. IN THE FRONT AND IN THE BACK PART THERE ARE MASSIVE FAVORITE OFFICIAL LOGO EMBROIDERIES. THE SIZE CAN BE ADJUSTED WITH A METALLIC CLASP.

SNAPBACK CAP



A COMFORTABLE SNAPBACK IS AN ESSENTIAL FOR ANY ANGLER. IT'S PROTECTS FROM THE SUN WHEN YOU ARE FISHING. OPEN BACK WITH AN ADJUSTABLE SNAP CLOSURE. FAVORITE OFFICIAL LOGO EMBROIDERED TO THE FRONT OF THE CAP IN BLACK, WHITE OR GREY. MADE FROM 80% ACRYLIC/20% WOOL WOVEN FABRIC



HAT

THIS HAT KEEPS YOUR HEAD WARM, AND THOUGHTS – CLEAR. FAVORITE OFFICIAL LOGO EMBROIDERED ON THE HAT. MADE FROM ACRYLIC AND WARMED WITH FLEECE. JUST REMEMBER, KEEP THE HAT AWAY FROM FIRE AND PONDS WITHOUT FISH.

BASEBALL CAP

✓	CODE	COLOR	SIZE
	16932026	01	56
	16932027	01	58
	16932028	01	60
	16932031	02	58
	16932030	03	58
	16932023	04	56
	16932024	04	58
	16932025	04	60
	16932029	05	58
	16932033	06	58
	16932036	07	58
	16932035	08	58
	16932032	09	58
	16932034	10	58

SNAPBACK CAP

✓	CODE	COLOR	SIZE
	16932017	01	58
	16932018	01	60
	16932019	02	60
	16932020	03	58
	16932021	04	58
	16932022	05	58

HAT

✓	CODE	COLOR	SIZE
	16932016	GREY, RED LOGO	-

CLOTHES

TRACKER CAP



THIS CAP PROTECTS YOU FROM SUN AND PROVIDES VENTILATION DURING SUMMER FISHING. YOU WILL FEEL COMFORTABLE IN HOT WEATHER, AS IT HAS THE BACK PART MADE FROM MESH. THE FRONT IS ROBUST, WITH MASSIVE EMBROIDERED FAVORITE LOGO. THE PEAK IS CURVED. A PLASTIC CLASP ALLOWS ADJUSTING THE SIZE.



CAP CP-260B

THIS IS A LIGHT, "BREATHING" CAP, INTENDED FOR WEARING DURING SUMMER. IT IS MADE OF 100% NYLON WITH UV PROTECTION RAYOSAN® DESIGNED BY THE SWISS COMPANY CLARIANT. IT PROVIDES PROTECTION WITH THE INDEX OF UPF 50. BEING MANUFACTURED WITH THE USE OF TEFLON, IT PROVIDES INSIGNIFICANT MOISTURE PROTECTION WITH NO LOSS OF "BREATHING" PROPERTIES AS WELL AS PROTECTION AGAINST DIFFERENT POLLUTIONS. IT COMES IN KHAKI COLOR. THIS MODEL IS EQUIPPED WITH A DETACHABLE PART WHICH PROTECTS NECK FOR DIRECT SUN RAYS. IT COMES IN KHAKI COLOR.



CAP CP-272

THIS IS A COMFORTABLE STRETCH CAP WITH PROTECTION AGAINST WIND. IT IS INDEED TO BE WORN DURING COLD TIME OF THE YEAR. BEING MANUFACTURED WITH THE USE OF TEFLON, IT PROVIDES INSIGNIFICANT MOISTURE PROTECTION WITH NO LOSS OF "BREATHING" PROPERTIES AS WELL AS PROTECTION AGAINST DIFFERENT POLLUTIONS. IT COMES IN DARK-GREY COLOR.

TRACKER CAP

✓	CODE	COLOR	SIZE
	16932040	01	58
	16932041	02	58
	16932039	03	58
	16932038	04	58
	16932042	05	58
	16932043	06	58
	16932037	07	58

CAP CP-260B

✓	CODE	COLOR	SIZE
	16932001	KHAKI	-


CAP CP-272

✓	CODE	COLOR	SIZE
	16932002	BLACK/GREY	-

ARENA LANDING NET



TROUT FISHING IS A CULT JAPANESE ACTIVITY, WHICH CONSIST OF A CORRECT APPROACH TO LURES AND RODS, BUT AS WELL ABOUT CAREFUL APPROACH TO THE CAUGHT FISH. TROUT IS VERY AGGRESSIVE NOT ONLY WHEN IT IS FIGHTING, BUT IN THE LANDING NET AS WELL. IN SPORT FISHING WITH PRINCIPLES OF CATCH & RELEASE, ANGLERS HAS TO USE THE LANDING NETS MADE ONLY FROM SOFT RUBBER MATERIAL. SOFT NET DOESN'T DAMAGE THE FISH. OUR TEAM HAS TESTED MAJORITY OF THE AVAILABLE LANDING NETS BEFORE WE CREATED A MODEL THAT SUITS FOR OUR FISHING CONDITIONS IN THE BEST WAY. ARENA LANDING NETS HAVE A WIDE TOP PART AND A LONG HANDLE, THAT IS WHY, AN ANGLER CAN TAKE THE FISH OUT NOT ONLY FROM A CONVENIENT PLATFORM, BUT AS WELL FROM A "COMPLICATED" SHORE.



✓	CODE	ITEM	COLOR	MESH COLOR	LENGTH, M	WEIGHT, G
	16931049	LANDING NET HEAD	BROWN	CLEAR	-	375
	16931044	LANDING NET	BLUE	CLEAR	1.4	530
	16931043	LANDING NET	BROWN	CLEAR	1.4	530
	16931045	LANDING NET	RED	BLACK	1.4	530
	16931046	LANDING NET	PINK	BLACK	1.4	530
	16931048	LANDING NET (COLLAPSIBLE HEAD)	BROWN	CLEAR	1.4	700
	16931047	LANDING NET (TELESCOPIC HANDLE)	RED	BLACK	1.4	750