





REFLEX



The latest budget-friendly rod from the Select brand. With a rod blank of 24T modularity, it is fast enough to be used for fishing with a jig and performing high-quality hooking. The range of Reflex rods is not very wide, but you will find a rod to use for most typical conditions. For example, for fishing from the bank or boat, for soft lures and hard bait fishing and twitching.



| Model | LENGTH, M | LURE TEST, G | LINE TEST, LB | Action | WEIGHT, G | Section | Transp. LENGTH, CM | CODE |
|-----------|-----------|--------------|---------------|--------|-----------|---------|-----------------------|----------|
| RFL-702M | 2.13 | 5 - 21 | 6 - 12 | Fast | 114 | 2 | 111 | 18707505 |
| RFL-702MH | 2.13 | 7 - 28 | 8 - 15 | Fast | 124 | 2 | 111 | 18707506 |
| RFL-762M | 2.30 | 5 - 23 | 6 - 12 | Fast | 125 | 2 | 119 | 18707507 |
| RFL-762MH | 2.30 | 7 - 28 | 8 - 15 | Fast | 140 | 2 | 119 | 18707508 |
| RFL-802ML | 2.44 | 4 - 16 | 6 - 12 | Fast | 126 | 2 | 126 | 18707509 |
| RFL-802M | 2.44 | 5 - 23 | 8 - 15 | Fast | 141 | 2 | 126 | 18707510 |
| RFL-802MH | 2.44 | 7 - 32 | 6 - 10 | Fast | 156 | 2 | 126 | 18707511 |
| RFL-862MH | 2.60 | 7 - 32 | 8 - 15 | Fast | 163 | 2 | 134 | 18707512 |

SPRINT



A line of short, all-purpose ultralight rods for predatory fishing on small rivers and lakes. These rods are designed for fishing at a relatively close distance and will be most effective in conditions with not enough space to swing the rod before casting. The Select Sprint has a medium-fast action and is perfect for fishing with micro spoons and small cranks. It's what you need for catching perch and chub in small rivers and streams. As a matter of fact, this kind of rod is perfect for catching trout, or it can be a great first fishing rod for a kid.

The rod is made of 24T carbon fiber, equipped with high-quality guides and a comfortable handle. It has a modern design and, thanks to a carefully thought-out and efficient blank with a reinforced butt section, Sprint will easily handle large trophy fish.

The rods in the series are distinguished not only by different parameters, but also by colors.







FORCE

Fast, light and balanced rod. It has a strict modern minimalistic design in matte black, its blank is manufactured from a combination of two types of Carbon – 24T and 30T. The split grip handle is made out of EVA material. Guides are shaped to prevent line entanglement and are also equipped with ceramic inserts. For better visual control of the tracing the tip winding is bright orange color. The spinning rod has decent sensitivity to be able to feel the bottom with the lure, and it also provides a good casting so you can reach the fish stock.

Model number Force has 13 fishing rods with tests from 3-14 g to 10-32 g, where every fisherman can choose the right rod for different styles of fishing; soft lure fishing, wobbler twitching or fishing with lures and cranks.



| Model | LENGTH, M | LURE TEST, G | LINE TEST, LB | Action | WEIGHT, G | SECTION | Transp. LENGTH, CM | Code |
|-----------|-----------|--------------|---------------|--------|-----------|---------|-----------------------|----------|
| FRC-662M | 1.98 | 5 - 24 | 10 - 20 | Fast | 95 | 2 | 102 | 18703185 |
| FRC-662MH | 1.98 | 10 - 30 | 10 - 25 | Fast | 100 | 2 | 102 | 18703186 |
| FRC-702L | 2.13 | 3 - 14 | 4 - 10 | Fast | 102 | 2 | 108 | 18703187 |
| FRC-702M | 2.13 | 5 - 24 | 10 - 20 | Fast | 105 | 2 | 108 | 18703188 |
| FRC-702MH | 2.13 | 10 - 30 | 12 - 25 | Fast | 107 | 2 | 108 | 18703189 |
| FRC-762ML | 2.28 | 4 - 16 | 6 - 15 | Fast | 105 | 2 | 118 | 18703190 |
| FRC-762M | 2.28 | 5 - 24 | 10 - 20 | Fast | 107 | 2 | 118 | 18703191 |
| FRC-762MH | 2.28 | 10 - 30 | 12 - 25 | Fast | 110 | 2 | 118 | 18703192 |
| FRC-762H | 2.28 | 12 - 38 | 12 - 25 | Fast | 116 | 2 | 119 | 18707072 |
| FRC-802ML | 2.44 | 4 - 16 | 6 - 15 | Fast | 111 | 2 | 126 | 18703193 |
| FRC-802M | 2.44 | 6 - 26 | 10 - 20 | Fast | 117 | 2 | 126 | 18703194 |
| FRC-802MH | 2.44 | 10 - 32 | 12 - 25 | Fast | 123 | 2 | 126 | 18703195 |
| FRC-802H | 2.44 | 12 - 40 | 12 - 25 | Fast | 125 | 2 | 126 | 18707073 |
| FRC-862M | 2.65 | 5 - 24 | 10 - 20 | Fast | 137 | 2 | 134 | 18703196 |
| FRC-862MH | 2.65 | 10 - 30 | 12 - 25 | Fast | 143 | 2 | 134 | 18703197 |
| FRC-862H | 2.65 | 12 - 42 | 12 - 25 | Fast | 149 | 2 | 134 | 18707074 |

BASHER

Extremely powerful spinning rod with a significant strength reserve designed in a classic clean style. It has a fast 24T Modulus Carbon blank and enhanced capacity hardware, the first three guides are set on a three-legged frame.

The rod, first of all, will be appropriate for trolling big and large baits. It can be either specialized wobblers with a long "spatula", or a large soft lure with a heavy weight for bottom fishing. Trolling is not the only application of this model. Basher can easily cope with such challenges as swim baits pike fishing with lures averaging from 80 to 100 grams. In addition to large pike, this spinning rod can also catch catfish, for example, the short model is good for fishing from the boat, and the long one can be used from the shore for a version of bottom fishing.





RITMIX

Microjig special

Ultralight fishing rod with a solid tip for microjig fishing.

2.56


2 - 10

3-8

The blank is pretty stiff throughout the entire length, but the insert is considerably soft. This particular design enables comfortable manipulation of the tiniest baits and visual control of bait's contact with the bottom.

The spinning rod is equipped with modern streamlined guides getting smaller in size closer to the tip to ensure the correct performance of the blank. The split grip EVA handle pairs nicely with the classic screw reel seat for comfortable rod holding.

Ritmix will help novice anglers to master perch, pike and zander fishing on small soft lures. And for those fishermen using micro lure in rare occasions it will become a good alternative for a reasonable price during the spring spawning season, when it's prohibited to fish.



All-round

RTM-842L-S

An all-purpose rod with great balance and fast action created for fishing with soft lures, as well as other types of lures. The short model can also be used for twitching small minnows and topwater lures. The rod is designed in a strict classic style with a handle made of dense EVA material.


122

2

134

18703491

Ex.Fast







ZANDER

This is not your basic rod for fishing with soft lures, this is a rod with advanced fishing capabilities. First and foremost, it works great for catching zander, large perch and pike with soft lures using a classic jig. The rod is quite stiff and fast, but the tip is equipped with a carbon insert, which is a significant advantage in certain conditions. One of the options is drop-shot fishing, when we need to cast a pretty heavy rig and then delicately manipulate a rather small lure apart from the weight. At times, you have to fish a promising snag right away. At other times, you intentionally fish for a rather large fish with relatively small lures, and you want to use a more lightweight tackle for better control. However, there is a "but": to securely hook a big fish, you need a rod with a decent power reserve. And for such conditions the Zander rod is exactly what you need: the insert provides excellent control over the small lures' action, while the rest of the blank ensures a solid strike and hooks the fish well. Furthermore, this rod is perfect for pike fishing with medium-sized spoons. The insert performs great with spoons and spinners with no disruption of their action. And the stiff butt section ensures good control over the fish during reeling not allowing it to lead the tackle into the grass or snags.



| Model | LENGTH, M | Lure test, g | LINE TEST, LB | Астіон | WEIGHT, G | SECTION | Transp. Length, cm | CODE |
|------------|-----------|--------------|---------------|---------|-----------|---------|-----------------------|----------|
| ZND-702M | 2.13 | 6 - 24 | 8 - 20 | Ex.Fast | 110 | 2 | 110 | 18706783 |
| ZND-702MH | 2.13 | 7 - 35 | 10 - 25 | Ex.Fast | 125 | 2 | 110 | 18707108 |
| ZND-792M | 2.40 | 6 - 24 | 8 - 20 | Ex.Fast | 133 | 2 | 123 | 18706784 |
| ZND-792MH | 2.40 | 7 - 35 | 10 - 25 | Ex.Fast | 140 | 2 | 123 | 18706785 |
| ZND-792H | 2.40 | 10 - 45 | 12 - 30 | Ex.Fast | 156 | 2 | 123 | 18707109 |
| ZND-902M | 2.70 | 6 - 24 | 8 - 20 | Ex.Fast | 153 | 2 | 141 | 18707495 |
| ZND-902MH | 2.70 | 7 - 32 | 10 - 25 | Ex.Fast | 161 | 2 | 141 | 18707496 |
| ZND-902H | 2.70 | 10 - 45 | 12 - 30 | Ex.Fast | 165 | 2 | 141 | 18707497 |
| ZND-1002MH | 3.00 | 7 - 35 | 10 - 25 | Ex.Fast | 176 | 2 | 156 | 18707498 |
| ZND-1002H | 3.00 | 10 - 45 | 12 - 30 | Ex.Fast | 190 | 2 | 156 | 18707499 |



REFLEX



An all-purpose affordable spinning reel that looks stylish and meets all the basic requirements for fishing in our conditions. The Reflex body and rotor are made of special durable plastic, the spool is metal and, depending on the modification, may be deep or shallow. The reel has a light and smooth rotation and is quite good at laying braided lines. This model is equipped with an instant anti-reverse stop and has a finely tuned drag. The number of ball bearings is 4+1, and they are all installed only in the most necessary places. It is worth noting that the largest size of 4000 has a gear ratio of 4.6:1, this model is more powerful. Other sizes have a gear ratio of 5.2:1.

The Reflex reel will be a great asset for the spinning rod of the same name.



| Model/ Size | Weight, g | NYLON LINE CAPACITY, MM/M | BRAIDED LINE CAPACITY, PE #/M | Bearings | GEAR RATIO | Max drag, kg | Line retrieve, cm | CODE |
|----------------|-----------|---------------------------------|-------------------------------|----------|------------|--------------|-------------------|----------|
| 1500 | 241 | 0.16/130, 0.18/100 | 0.5/150, 0.8/85 | 4+1 | 5.2:1 | 6 | 58 | 18707487 |
| 2000 | 244 | 0.18/115, 0.2/95 | 0.6/145, 0.8/100 | 4+1 | 5.2:1 | 6 | 61 | 18707488 |
| 2000S | 248 | 0.12/100, 0.15/75 | 0.3/110, 0.4/95 | 4+1 | 5.2:1 | 6 | 61 | 18707489 |
| 2500 | 249 | 0.2/150, 0.23/115 | 0.6/200, 0.8/140 | 4+1 | 5.2:1 | 6 | 64 | 18707490 |
| 2500S | 253 | 0.15/115, 0.18/80 | 0.4/150, 0.6/90 | 4+1 | 5.2:1 | 6 | 64 | 18707491 |
| 3000 | 250 | 0.23/145, 0.25/120 | 1.0/210, 1.2/150 | 4+1 | 5.2:1 | 8 | 69 | 18707492 |
| 3000S | 256 | 0.18/115, 0.2/100 | 0.5/150, 0.8/90 | 4+1 | 5.2:1 | 8 | 69 | 18707493 |
| 4000 | 313 | 0.23/145, 0.25/120 | 1.0/210, 1.2/150 | 4+1 | 4.6:1 | 8 | 62 | 18707494 |





MASTER

An affordable versatile spinning reel for fishing with rods from UL to ML class. It is suitable for fishing with soft lures and jig head, as well as with spoons and wobblers. The Select Master has a modern design, smooth action, works well with braided lines and has a 4+1 bearing. The reel is available in four sizes and, depending on the modification, the spool can be either deep or shallow.



| Model/ Size | WEIGHT, G | Nylon line capacity, mm/m | Braided LINE CAPACITY, PE #/M | BEARINGS | GEAR RATIO | Max drag, kg | LINE RETRIEVE, CM | Code |
|----------------|-----------|---------------------------|-------------------------------|----------|------------|--------------|-------------------|----------|
| 1500 | 231 | 0.18/130, 0.20/100 | 0.6/160, 1.0/100 | 4+1 | 5.2:1 | 6 | 61 | 16937099 |
| 1500S | 234 | 0.15/120, 0.18/90 | 0.4/155, 0.6/100 | 4+1 | 5.2:1 | 6 | 61 | 16937100 |
| 2000 | 232 | 0.2/130, 0.23/90 | 0.6/220, 0.8/170 | 4+1 | 5.2:1 | 6 | 63 | 16937101 |
| 2000S | 235 | 0.16/140, 0.18/110 | 0.4/180, 0.6/150 | 4+1 | 5.2:1 | 6 | 63 | 16937102 |
| 2500 | 265 | 0.2/170, 0.23/130 | 0.8/180, 1.0/150 | 4+1 | 5.2:1 | 6 | 67 | 16937103 |
| 2500S | 269 | 0.18/130, 0.2/100 | 0.4/180, 0.6/150 | 4+1 | 5.2:1 | 8 | 67 | 16937104 |
| 3500 | 271 | 0.23/130, 0.25/100 | 1.0/180, 1.2/160 | 4+1 | 5.2:1 | 8 | 70 | 16937105 |
| 3500S | 273 | 0.2/130, 0.23/90 | 0.6/170, 0.8/150 | 4+1 | 5.2:1 | 8 | 70 | 16937106 |



| Add. spool | Code | | | |
|------------|----------|--|--|--|
| 1500 | 16937107 | | | |
| 1500S | 16937108 | | | |
| 2000 | 16937109 | | | |
| 2000S | 16937110 | | | |
| 2500 | 16937111 | | | |
| 2500S | 16937112 | | | |
| 3500 | 16937113 | | | |
| 3500S | 16937114 | | | |



RITMIX REEL

A modern affordable reel that matches perfectly with Ritmix spinning rods or similar rods of UL to ML class. The reel fully meets the essential requirements of a fishing enthusiast. It has smooth rotation and works well with braided lines. Its body and rotor are made of reliable and durable material. The reel has a nice metal spool with a slanted rim. The handle is also made of metal, has a comfortable knob and is screwed directly into the drive gear.



| Model/ Size | WEIGHT, G | Nylon line CAPACITY, MM/M | Braided LINE CAPACITY, PE #/M | BEARINGS | GEAR RATIO | Max drag, kg | LINE RETRIEVE, CM | Code |
|----------------|-----------|---------------------------------|-------------------------------|----------|------------|--------------|-------------------|----------|
| 1500 | 236 | 0.18/130, 0.2/100 | 0.6/160, 1.0/100 | 6+1 | 5.2:1 | 6 | 61 | 18707095 |
| 1500S | 239 | 0.15/120, 0.18/90 | 0.4/155, 0.6/100 | 6+1 | 5.2:1 | 6 | 61 | 18707096 |
| 2000 | 240 | 0.2/130, 0.23/90 | 0.6/220, 0.8/170 | 6+1 | 5.2:1 | 6 | 63 | 18707031 |
| 2000S | 245 | 0.16/140, 0.18/110 | 0.4/180, 0.6/150 | 6+1 | 5.2:1 | 6 | 63 | 18707034 |
| 2500 | 269 | 0.2/170, 0.23/130 | 0.8/180, 1.0/150 | 6+1 | 5.2:1 | 6 | 67 | 18707032 |
| 2500S | 275 | 0.18/130, 0.2/100 | 0.4/180, 0.6/150 | 6+1 | 5.2:1 | 8 | 67 | 18707035 |
| 3500 | 276 | 0.23/130, 0.25/100 | 1.0/180, 1.2/160 | 6+1 | 5.2:1 | 8 | 70 | 18707033 |
| 3500S | 282 | 0.2/130, 0.23/90 | 0.6/170, 0.8/150 | 6+1 | 5.2:1 | 8 | 70 | 18707036 |



| Add. spool | Code |
|------------|----------|
| 1500 | 18707097 |
| 1500S | 18707098 |
| 2000 | 18707037 |
| 2000S | 18707040 |
| 2500 | 18707038 |
| 2500S | 18707041 |
| 3500 | 18707039 |
| 3500S | 18707042 |
| | |

SELEGT





BASIC PE

Versatile affordable line for constant use in a variety of fishing conditions. Works good not solely wth predatory fish, but also wth non-predatory.

Manufactured from durable Dyneema material. Basic PE is round, slippery, has a good sensitivity, is resistant to abrasions. A wide range of sizes allows to select the best option for tackle from ultra-light to heavy.



| DIAMETER, MM | STRENGHT, LB | Strength, kg | Length, M | CODE ORANGE | CODE LGHT GREEN | CODE DRK GREEN | CODE MULTICOLOR |
|--------------|--------------|--------------|-----------|-------------|-----------------|----------------|-----------------|
| 0.06 | 6 | 3 | 100 | - | - | 18702758 | 18703077 |
| 0.08 | 8 | 4 | 100 | 18702752 | 18702746 | 18702759 | 18703078 |
| 0.10 | 10 | 4.8 | 100 | 18702753 | 18702747 | 18702760 | 18703079 |
| 0.12 | 12 | 5.6 | 100 | 18702754 | 18702748 | 18702761 | 18703080 |
| 0.14 | 15 | 6.8 | 100 | 18702755 | 18702749 | 18702762 | 18703081 |
| 0.16 | 18 | 8.3 | 100 | 18702756 | 18702750 | 18702763 | 18703082 |
| 0.18 | 22 | 9.9 | 100 | 18702757 | 18702751 | 18702764 | 18703083 |
| 0.20 | 28 | 12.7 | 100 | - | - | 18702765 | 18703084 |
| 0.22 | 30 | 13.6 | 100 | - | - | 18702766 | 18703085 |
| 0.24 | 40 | 18.2 | 100 | - | - | 18702767 | 18703086 |
| 0.26 | 45 | 20.8 | 100 | - | - | 18702768 | 18703087 |
| 0.04 | 5 | 2.5 | 150 | - | 18701950 | 18701818 | 18703088 |
| 0.06 | 6 | 3 | 150 | 18702769 | 18701810 | 18701819 | 18703089 |
| 0.08 | 8 | 4 | 150 | 18702770 | 18701811 | 18701820 | 18703090 |
| 0.10 | 10 | 4.8 | 150 | 18702771 | 18701812 | 18701821 | 18703091 |
| 0.12 | 12 | 5.6 | 150 | 18702772 | 18701813 | 18701822 | 18703092 |
| 0.14 | 15 | 6.8 | 150 | 18702773 | 18701814 | 18701823 | 18703093 |
| 0.16 | 18 | 8.3 | 150 | 18702774 | 18701815 | 18701824 | 18703094 |
| 0.18 | 22 | 9.9 | 150 | 18702775 | 18701816 | 18701825 | 18703095 |
| 0.20 | 28 | 12.7 | 150 | 18702776 | 18701817 | 18701826 | 18703096 |
| 0.22 | 30 | 13.6 | 150 | 18702777 | 18701869 | 18701872 | 18703097 |
| 0.24 | 40 | 18.2 | 150 | - | 18701870 | 18701873 | 18703098 |
| 0.26 | 45 | 20.8 | 150 | - | 18701871 | 18701874 | 18703099 |



BASIC PE 8X

Versatile eight-strand line with an excellent price-performance ratio. The fibers are manufactured from modern material - high-modulus polyethylene (Dyneema), woven into a braid, which has a maximum circular overlap and outstanding smoothness. As a result, the line is very strong, soft, easily flies out of the reel spool, is highly informative and resistant to abrasions. Recommended for those types of fishing, where far casting distance and sensitivity are required, e.g. in spinning rod or feeder fishing.



| JAPANESE CLASSIFICATION NUMBER, # | STRENGHT, LB | Strength, kg | DIAMETER, MM | LENGTH, M | CODE LGHT GREEN | CODE DRK GREEN | CODE MULTICOLOR |
|-----------------------------------|--------------|--------------|--------------|-----------|-----------------|----------------|-----------------|
| 0.6 | 12 | 5.5 | 0.10 | 150 | 18703137 | 18703132 | 18703142 |
| 0.8 | 14 | 6 | 0.12 | 150 | 18703138 | 18703133 | 18703143 |
| 1.0 | 18 | 8.2 | 0.14 | 150 | 18703139 | 18703134 | 18703144 |
| 1.2 | 20 | 9.3 | 0.16 | 150 | 18703140 | 18703135 | 18703145 |
| 1.5 | 22 | 10 | 0.18 | 150 | 18703141 | 18703136 | 18703146 |





MASTER PE

Resistant to tearing, quite stiff four-strand line with high resistance to abrasion. Recommended for challenging fishing conditions – soft lure fishing with medium and heavy jig heads in the roots, trolling, and as a shock leader for feeder fishing. Suitable for common use.



| DIAMETER, MM | STRENGTH, KG | LENGTH, M | CODE LGHT GREEN | CODE DRK GREEN |
|--------------|--------------|-----------|-----------------|----------------|
| 0.06 | 9 | 100 | 18701700 | 18700140 |
| 0.08 | 11 | 100 | 18701701 | 18700141 |
| 0.10 | 13 | 100 | 18701702 | 18700142 |
| 0.12 | 15 | 100 | 18701703 | 18700143 |
| 0.14 | 17 | 100 | 18701704 | 18700144 |
| 0.16 | 19 | 100 | 18701705 | 18700145 |
| 0.18 | 21 | 100 | 18701706 | 18700146 |
| 0.20 | 24 | 100 | 18701707 | 18700147 |
| 0.24 | 29 | 100 | 18701708 | 18700148 |
| 0.27 | 33 | 100 | - | 18701596 |
| 0.32 | 37 | 100 | - | 18701597 |
| 0.36 | 42 | 100 | - | 18701598 |
| 0.06 | 9 | 150 | 18700149 | 18700170 |
| 0.08 | 11 | 150 | 18700150 | 18700171 |
| 0.10 | 13 | 150 | 18700151 | 18700172 |
| 0.12 | 15 | 150 | 18700152 | 18700173 |
| 0.14 | 17 | 150 | 18700153 | 18700174 |
| 0.16 | 19 | 150 | 18700154 | 18700175 |
| 0.18 | 21 | 150 | 18700155 | 18700176 |
| 0.20 | 24 | 150 | 18700156 | 18700177 |
| 0.24 | 29 | 150 | 18700157 | 18700178 |
| 0.06 | 9 | 1000 | 18700971 | - |
| 0.08 | 11 | 1000 | 18700179 | - |
| 0.10 | 13 | 1000 | 18700180 | - |
| 0.12 | 15 | 1000 | 18700181 | - |
| 0.14 | 17 | 1000 | 18700182 | 18700188 |
| 0.16 | 19 | 1000 | 18700183 | 18700189 |
| 0.18 | 21 | 1000 | 18700184 | 18700190 |
| 0.20 | 24 | 1000 | 18700972 | 18701591 |
| 0.24 | 29 | 1000 | 18700973 | 18701592 |
| 0.27 | 33 | 1000 | - | 18701593 |
| 0.32 | 37 | 1000 | - | 18701594 |
| 0.36 | 42 | 1000 | - | 18701595 |



FLUOROCARBON LEADER WIRE

Produced from high quality fluorocarbon Hi Seas (USA), resistant to abrasion, does not change its properties at temperatures from $-40\,^{\circ}\text{C}$ to $+160\,^{\circ}\text{C}$. Fluorocarbon leader is almost invisible in the water, because it has the same coefficient of fracture. This makes it irreplaceable when fishing for cautious fish in clear waters.

| Length, cm | Strength, kg | DIAMETER, MM | QUANTITY | Code |
|------------|--------------|--------------|----------|----------|
| 20 | 6 | 0.3 | 2 | 18704015 |
| 20 | 8 | 0.4 | 2 | 18703880 |
| 20 | 10 | 0.5 | 2 | 18703898 |
| 20 | 12 | 0.63 | 2 | 18700884 |
| 25 | 6 | 0.3 | 2 | 18704016 |
| 25 | 8 | 0.4 | 2 | 18703881 |
| 25 | 10 | 0.5 | 2 | 18703896 |
| 25 | 12 | 0.63 | 2 | 18700885 |
| 30 | 6 | 0.3 | 2 | 18704017 |
| 30 | 8 | 0.4 | 2 | 18703882 |
| 30 | 10 | 0.5 | 2 | 18703897 |
| 30 | 12 | 0.63 | 2 | 18700886 |





BRAIDED LEADER WIRE

Depending on the model is made of 7, 19 or 49 stainless steel fibers (Stainless Steel Leader Wire), produced by the American factory AFW, with anti-corrosion coating, applied by anodizing. Combines high strength with small diameter with high elasticity. Recommended for all kind of lure fishing.

| Түре | LENGTH, CM | STRENGTH, KG | DIAMETER, MM | QUANTITY | CODE |
|--------|------------|--------------|--------------|----------|----------|
| 1×7 | 12 | 5 | 0.2 | 2 | 18700871 |
| 1×7 | 15 | 5 | 0.2 | 2 | 18700872 |
| 1×7 | 15 | 7 | 0.25 | 2 | 18700873 |
| 1×7 | 15 | 10 | 0.3 | 2 | 18700876 |
| 1×7 | 20 | 5 | 0.2 | 2 | 18700889 |
| 1×7 | 20 | 7 | 0.25 | 2 | 18700874 |
| 1×7 | 20 | 10 | 0.3 | 2 | 18700877 |
| 1×7 | 25 | 7 | 0.25 | 2 | 18700875 |
| 1×7 | 25 | 10 | 0.3 | 2 | 18700878 |
| 1 × 19 | 15 | 7 | 0.25 | 2 | 18700879 |
| 1 × 19 | 15 | 10 | 0.3 | 2 | 18700881 |
| 1 × 19 | 20 | 7 | 0.25 | 2 | 18700890 |
| 1 × 19 | 20 | 10 | 0.3 | 2 | 18700882 |
| 1 × 19 | 25 | 7 | 0.25 | 2 | 18700880 |
| 1×19 | 25 | 10 | 0.3 | 2 | 18700883 |
| 7×7 | 15 | 7 | 0.25 | 2 | 18700924 |
| 7×7 | 15 | 10 | 0.3 | 2 | 18700927 |
| 7×7 | 20 | 7 | 0.25 | 2 | 18700925 |
| 7×7 | 20 | 10 | 0.3 | 2 | 18700928 |
| 7×7 | 25 | 7 | 0.25 | 2 | 18700926 |
| 7×7 | 25 | 10 | 0.3 | 2 | 18700929 |





LEADER WIRE STRING NO. 1 AND NO. 2

Manufactured from unique dark-colored material (Stainless Steel Single), developed and produced by AFW (USA). Its elasticity, small diameter and light weight allows the fisherman to constantly feel the contact with the bait. It is not susceptible to corrosion. Due to the design without the fastener and swivel lure entanglement is minimized. Recommended for fishing twitching style. The #1 has one end sealed, and the #2 – two ends unsealed.

| Түре | LENGTH, CM | Strength, kg | DIAMETER, MM | QUANTITY | CODE |
|------|------------|--------------|--------------|----------|----------|
| 1 | 12 | 10 | 0.3 | 2 | 18701879 |
| 1 | 15 | 10 | 0.3 | 100 | 18701927 |
| 1 | 15 | 10 | 0.3 | 2 | 18701917 |
| 1 | 15 | 14 | 0.36 | 2 | 18701918 |
| 1 | 17 | 10 | 0.3 | 100 | 18701928 |
| 1 | 17 | 10 | 0.3 | 2 | 18700858 |
| 1 | 20 | 10 | 0.3 | 100 | 18701929 |
| 1 | 20 | 10 | 0.3 | 2 | 18700859 |
| 1 | 25 | 14 | 0.36 | 2 | 18701921 |
| 2 | 12 | 10 | 0.3 | 100 | 18701930 |
| 2 | 12 | 10 | 0.3 | 2 | 18701809 |
| 2 | 15 | 10 | 0.3 | 100 | 18701931 |
| 2 | 15 | 10 | 0.3 | 2 | 18701922 |
| 2 | 17 | 10 | 0.3 | 100 | 18701932 |
| 2 | 17 | 10 | 0.3 | 2 | 18701923 |
| 2 | 20 | 10 | 0.3 | 100 | 18701933 |
| 2 | 20 | 10 | 0.3 | 2 | 18701924 |





TITANIUM LEADER WIRE

Manufactured from titanium alloy (Titanium Leader Wire), developed and manufactured by AFW (USA). Has a high strength at a small diameter, elastic – always returns to its original shape. Recommended for twitching style fishing.

| LENGTH, CM | Strength, kg | DIAMETER, MM | QUANTITY | CODE |
|------------|--------------|--------------|----------|----------|
| 12 | 5 | 0.23 | 1 | 18700887 |
| 12 | 7 | 0.28 | 1 | 18700846 |
| 15 | 5 | 0.23 | 1 | 18700843 |
| 15 | 7 | 0.28 | 1 | 18700847 |
| 15 | 9 | 0.33 | 1 | 18700941 |
| 15 | 12 | 0.38 | 1 | 18700852 |
| 17 | 5 | 0.23 | 1 | 18700844 |
| 17 | 7 | 0.28 | 1 | 18700848 |
| 17 | 9 | 0.33 | 1 | 18700942 |
| 17 | 12 | 0.38 | 1 | 18700853 |
| 20 | 5 | 0.23 | 1 | 18700845 |
| 20 | 7 | 0.28 | 1 | 18700849 |
| 20 | 9 | 0.33 | 1 | 18700850 |
| 20 | 12 | 0.38 | 1 | 18700854 |
| 23 | 9 | 0.33 | 1 | 18700851 |
| 23 | 12 | 0.38 | 1 | 18700855 |
| 25 | 9 | 0.33 | 1 | 18700856 |







LEADER WIRE FOR TROLLING

Manufactured from 7 stainless high-quality steel fibers (Stainless Steel Leader Wire) produced by the American factory AFW, with anti-corrosion coating, applied by anodizing. Combines high strength with small diameter and high elasticity. Recommended for fishing with soft baits and jig head, as well as for fishing with fishing lure.

| Түре | LENGTH, CM | Strength, kg | DIAMETER, MM | QUANTITY | CODE |
|------|------------|--------------|--------------|----------|----------|
| 1×7 | 30 | 12 | 0.3 | 2 | 18700930 |
| 1×7 | 40 | 12 | 0.3 | 2 | 18700931 |
| 1×7 | 50 | 12 | 0.3 | 2 | 18700932 |



THE LEADER WIRE FOR A FISH TACKLE (ZHERLYTSA)

Manufactured from 7 stainless high-quality steel fibers (Stainless Steel Leader Wire), produced by AFW (USA), with anti-corrosion coating applied through an anodizing process. Combines high strength with small diameter and high elasticity. Recommended for pike and pike-perch fishing on jerkbaits, pots, etc. Resistant to pike teeth. Equipped with a ring to enable the installation of any size treble hook.

| Түре | LENGTH, CM | Strength, kg | DIAMETER, MM | QUANTITY | CODE |
|------|------------|--------------|--------------|----------|----------|
| 1×7 | 25 | 9 | 0.28 | 2 | 18700982 |
| 1×7 | 40 | 9 | 0.28 | 2 | 18700983 |



THE FLUOROCARBON LEADER WIRE FOR A FISH TACKLE (ZHERLYTSA)

Produced from high-quality Japanese fluorocarbon. Resistant to pike teeth, does not change its properties at temperatures from -40 $^{\circ}$ C to +160 $^{\circ}$ C. The leader is almost impossible to see in the water, as it has the same coefficient of fracture. This makes it irreplaceable when fishing cautious fish in clear water. Equipped with a ring to enable the installation of any size treble hook.

| Түре | Length, cm | Strength, kg | DIAMETER, MM | QUANTITY | Code |
|------|------------|--------------|--------------|----------|----------|
| 1×7 | 25 | 12 | 0.63 | 2 | 18700981 |
| 1×7 | 40 | 12 | 0.63 | 2 | 18700984 |



GREEN LEADER WIRE


Classic universal model, made of 7 steel fiber threads in a nylon cover. As a result it has increased stiffness and abrasion resistance. Used in all types of spinning rod fishing. Highly recommended for beginners and those who ignore the diameter of the leader wire. For ease of mounting and changing the bait, equipped with a swivel and a clasp.

| Түре | LENGTH, CM | Strength, kg | QUANTITY | CODE |
|------|------------|--------------|----------|----------|
| 1×7 | 15 | 6 | 2 | 18702402 |
| 1×7 | 18 | 9 | 2 | 18702403 |
| 1×7 | 24 | 12 | 2 | 18702404 |



BOOZER

A large soft lure shad with a massive body and a distinctive play for catching predatory fush under various conditions. The geometry of the lure is designed in a way to easily engage in the work, even with a slow conduct and light weight. Boozer is made of new very durable "edible" material, preserving its qualities even in the cold season. This soft lure shad is simple in manipulation, you can conduct it slowly and evenly, using a classic "step" style, or in a swift aggressive jerk style. And the most effective mounting is a hard jig head or a "screw" with a treble hook, as these options allow the bait to fully show itself.





7


EASY SHAD

Classic soft lure shad made of soft silicone for fishing zander and pike. The soft paddle of the lure is correctly shaped, so it quickly engages in work and stably plays even under slow conduct. There is a slit on the back for the offset hook.




FATFISH

Soft lure shad with an elongated shape and covered with soft ribs. During conduct the lure's tail swings extensively from side to side, attracting fish with vibrations. Besides the usual bottom jigging, Fatfish works effectively when dragged along the bottom. The attractive wiggling of the whole body and mud, lifted from the bottom by the jig head, actively attracts the attention of the fish.




SELEGT



EASY FAT


At first glance, this lure resembles the Easy Shad lure, but it differs from it in its taller and thicker body, as well as a larger tail heel. This made it possible to visually enlarge the lure and make its action very active and wide. As a result the Easy Fat is much more attractive to large pike and zander, both of which can pick up the vibrations from a great distance and gladly attack fleshy prey. Despite the size of this ripper, not big size pikes are also often caught with it. It can be equipped with a jig head, an offset or double hook, or even a stinger with treble hooks according to the fishing conditions.

The Select Easy Fat soft lure doesn't require any special handling techniques; for a successful bite it is enough to guide it evenly or in along the bottom layer sometimes with pauses.



FETISH

The entire body of this soft lure shad is covered with soft ribs. They create additional vibrations that attract the fish. During biting the ribs are easily crumpled and start to actively produce flavoring agents contained in silicone. The lure works well not only under usual bottom jigging, but also when dragged along the bottom. Fetish 2" works great with light and ultra-light.



| Model | QUANTITY, PCS/PACK |
|-----------|--------------------|
| Fetish 2" | 10 |
| Fetish 3" | 6 |
| Fetish 4" | 5 |






FREEK SLIM

4" - 18704183

4" - 18704184

A twister with an elongated worm-like body that has a distinctive unique action even with the slowest of retrieves. This is achieved through a peculiarly shaped tail that twists at the slightest movement of the rod. The ribbed body adds some windage to the lure for smoother sinking and it is also very flexible, thus helping the soft lure imitate a natural behavior underwater.

The best rigs for the Freek Slim are multiple variations of swivel joints on both single (offset) and double hooks. And you don't need to lead only with the classic step, you can also diversify your movements with different jerks and pulls or even drag the lure without lifting it off the bottom.




| Model | QUANTITY, PCS/PACK |
|---------------|--------------------|
| Freek Slim 2" | 8 |
| Freek Slim 3" | 7 |
| Freek Slim 4" | 5 |



FREEK

Grub with a ribbed body and a long voluminous tail. Perfectly selected width of tail and thickness of the material provide for an immediate engagement of the grub in the work, regardless of the conduct phase, tossing or free fall. Freek is versatile in use, it can be applied to fish all species of predatory fish. Varying mounting options depend solely on the fishing conditions – it can be a jig head, as well as an offset or a double hook from a thin wire.



FELEG





| 214 | |
|--------|----------|
| 2.3" - | 18703325 |

3.3" - 18703332 **4.5"** - 18703336 **5.5"** - 18703339

241

2.3" - 18707227

3.3" - 18707233 **4.5"** - 18707239

5.5" - 18707245

9" - 18707221

NEW

242

2.3" - 18707228 **3.3**" - 18707234 **4.5**" - 18707240





245

2.3" - 18707229 **3.3"** - 18707235 **4.5"** - 18707241

5.5" - 18707247 **9"** - 18703731



2.3" - 18707230 **3.3"** - 18707236 **4.5"** - 18707242

5.5" - 18707248 **9"** - 18707223



277 2.3" - 18704194 **3.3"** - 18704196



9" - 18707224

280

NEW



313 2.3" - 18707231

3.3" - 18707237 **4.5"** - 18707243 **5.5"** - 18707249





3.3" - 18707238 **4.5"** - 18707244 **5.5"** - 18707250

9" - 18707225



NEW

777

NEW

5.5" - 18703256



888

4.5" - 18702916

5.5" - 18703257 **9**" - 18707226



5.5" - 18703258



999 2.3" - 18707328 **3.3"** - 18702898 **4.5"** - 18702917

5.5" - 18707329



2.3" - 18703328

3.3" - 18702896

4.5" - 18702915



2.3" - 18703329 **3.3"** - 18702897




2.3" - 18703330 **3.3"** - 18702975 **4.5"** - 18702977



KRAKEN

Creature with active claws, playing very nicely under even conduct. However, long and smooth pulls with pauses near the bottom and classic animation with sharp short jerks will be the best for this bait. On the pauses, due to wide claws, Kraken will gradually descend to the bottom. Do not neglect the slow dragging of the bait along the bottom. This will be relevant for catching pike at shallow depths. Kraken has a cut in the upper part of the body for offset hook, but sometimes jig-rig mount can also be effective.




SELECT


TOXIC

2.3" - 18703416

A bait for perch fishing enthusiasts. It is important to select the correct mounting weight and lure delivery. Even conduct will not show the desired results, but various jerks and pulls near the bottom will work out perfectly. At a pause, after one of the "steps", the legs need some time to return to its original position, it is at this moment that perch usually bite. Works also good when dragged along the bottom. Best mounting - hinged, classic or jig-rig. If you fish with the heavy cheb sinker, you can comfortably fish more deep places in search of zander.




| Model | QUANTITY, PCS/PACK |
|------------|--------------------|
| Toxic 1.7" | 8 |
| Toxic 2.3" | 6 |



2.3" - 18703417

SNACK

A worm that has a very voluminous ribbed tail, which, due to the large number of segments, has a very realistic wobbling under conduct. The specific feature of this bait is that the body structure allows it to hold air bubbles in its deep ribs, they raise the tail of the lure almost vertically at a pause. The most efficient mounting for the Snack lure is a swivel with a single or offset hook. It is also possible to use relatively short double hook, preferably not out of a very thick wire, so as not to interfere with the movement of the worm. The fore part of the lure is very wide, basically preventing its "breaking" when placing it on a double hook, at the same time it makes it easier to use mounts with a screw. The main trophies of this lure are perch and zander of different sizes. Therefore, do not forget about such montages as "dropshot" and carolina rig. The body of the lure has a special slot to keep the sting of the offset hook safe from roots during fishing in "challenging" places.



| Model | QUANTITY, PCS/PACK |
|------------|--------------------|
| Snack 1.5" | 8 |
| Snack 2" | 7 |
| Snack 2.5" | 6 |
| Snack 3" | 5 |



006

1.5" - 18703899 **2"** - 18703916 **2.5"** - 18703933

3" - 18703952



1.5" - 18703900 **2"** - 18703917

2.5" - 18703934 3" - 18703953

072

1.5" - 18703901 **2"** - 18703918 **2.5"** - 18703935 3" - 18703954

085

1.5" - 18703902 **2"** - 18703919 **2.5"** - 18703936 3" - 18703955



087

1.5" - 18703903 2" - 18703920

2.5" - 18703937 3" - 18703956



110

NEW

NEW

1.5" - 18703905 **2"** - 18703922 **2.5"** - 18703939

3" - 18703958



205

1.5" - 18707333 **2"** - 18707334 **2.5"** - 18703942

3" - 18703961



206

2" - 18703925 **2.5"** - 18703943

3" - 18703962



241

1.5" - 18707278 **2"** - 18707284

2.5" - 18707290

3" - 18707296

242

1.5" - 18707279 **2"** - 18707285

2.5" - 18707291 **3"** - 18707297

NEW

NEW

245 **1.5"** - 18703911

2" - 18703928

2.5" - 18703946 **3"** - 18703965



NEW

2.5" - 18707292



280

1.5" - 18707281

2" - 18707287

2.5" - 18707293

3" - 18707299



302

1.5" - 18707282

2" - 18707288

2.5" - 18707294 3" - 18707300

1.5" - 18707283 **2"** - 18707289

2.5" - 18707295

3" - 18707301



2" - 18707286

3" - 18707298



NEW

1.5" - 18703913

2" - 18703930

2.5" - 18703949

3" - 18703968



1.5" - 18703914

2" - 18703931

2.5" - 18703950 **3"** - 18703969

1.5" - 18703915

2" - 18703932

2.5" - 18703951 3" - 18703970




TSUNIK

Ultralight lure, made of soft edible silicone. It has a unique play due to the thickening on the tip of the tail. It is advisable to equip the bait with a light hardware. If you want to appreciate the advantages of Tsunik, it is important to ensure it takes a vertical position at the bottom. Besides the classic predators, non-predator fish also bites this bait.




JAVIK

The lure is manufactured from edible material. The elongated body with thin partitions moves attractively along the bottom upon jerk style conduct, imitating an insect. It works great with hinged mounts with a single or an offset hook. If you prefer to fish on the carolina rig or drop-shot, Javik will feel itself grest in these types of fishing too.



VICTIM V-TAIL

A long slug with a V-shaped tail, one of the best lure types for catching zander on a drop shot. Although this lure does not have its own action, it responds vividly to any tackle motion you make. Aside from the drop shot, Victim may also be used in other spaced fishing rigs, like carolina rigs. Its specific body shape makes the lure sway from side to side on a jerk, like a minnow, significantly increasing the likelihood of being attacked by a predator. Another rig option is a small triangular jig head. It allows you to fish slightly above the bottom, or in the middle horizon, a kind of pelagic jig. With rhythmic jerks the lure will sort of bounce from side to side. When the conditions require the use of a classic hinged rig, the Victim will be excellent, the key is to use a not too long double so as not to overload the rear part. Then the lure will mimic small fish scurrying at the bottom.



WEIGHT, G

LENGTH, MM



GRANDEX

A versatile and easy to use spoon for catching predatory fish. It has a strongly pronounced performance and doesn't require any specific guiding technique. At slow speed the sway amplitude slightly decreases and the lure sinks deeper, while at higher speeds it sways broadly, but does not spin, and only sometimes gets off track, which is often a decisive factor for a predator to attack. This lure is great for finding active pike and other predatory fish in both stagnant water and in moderate currents.

Model

| | | | | | Grandex 10 | 10 | 63 |
|-------------|----------|--------------|-------------|----------|------------|--|-------------|
| | | | | | Grandex 14 | 14 | 63 |
| | | | | | Grandex 20 | 20 | 63 |
| \subseteq | 00 10 | E00 10 | | | Society | - | |
| | | | | 62 | | | |
| = | 9 | | | | | | |
| 01 | | 02 | 03 | | 04 | 05 | |
| 10g | 18707377 | 18707378 | | 18707379 | 18707 | 7380 | 18707381 |
| 14g | 18706803 | 18706804 | | 18706805 | 18706 | 6806 | 18706807 |
| 20g | 18706817 | 18706818 | | 18706819 | 18706 | 6820 | 18706821 |
| \subseteq | 9 | | 5 | 00 | 5 | M = { | Million |
| _ | | | _ | | | | |
| ع | 45 | | | | | 2 | |
| 06 | | 07 | 08 | | 09 | 10 | |
| 10g | 18707382 | 18707383 | | 18707384 | 18707 | 7385 | 18707386 |
| 14g | 18706808 | 18706809 | | 18706810 | 18706 | 6811 | 18706812 |
| 20g | 18706822 | 18706823 | | 18706824 | 18706 | 6825 | 18706826 |
| _ | 9999977 | | | | | Contract of | |
| | | | | | | | |
| ہے | Co. 230 | _ | | | | > | 2 |
| 11 | | 12 | 13 | | 14 | S 4 | 6 |
| 10g | 18707387 | 18707388 | | 18707389 | 18707 | 7390 | 18707391 |
| 14g | 18706813 | 18706814 | | 18706815 | 18706 | 3816 | 18707397 |
| 20g | 18706827 | 18706828 | | 18706829 | 18706 | 6830 | 18707403 |
| _ | | | _ | | | | |
| | Cons | | | | | Contract Con | September 1 |
| ے | 0 | | \subseteq | 0. 239 | - | <u> </u> | 6 |
| S47 | | S48 | S49 | | S50 | S5 | 1 |
| 10g | 18707392 | 18707393 | | 18707394 | 18707 | 7395 | 18707396 |
| 14g | 18707398 | 18707399 | | 18707400 | 1870 | 7401 | 18707402 |
| 20g | 18707404 | 18707405 | | 18707406 | 18707 | 7407 | 18707408 |



PROATOM

A spoon of a highly popular shape, often used for pike fishing. With its unique play on a steady guidance it performs great not only with pike, but also with other predatory fish. In order to succeed it is enough to guide the lure at an average pace, and it will deliver results consistently. Nevertheless, the addition of pauses and various jerks will contribute to the play and increase the number of bites.

Model

WEIGHT, G

LENGTH, MM

| | | | ProAtom 15 | 15 65 |
|---|-----------------------|-----------------------|-----------------------|------------------------|
| | | | | |
| 0.0 | | | 5 | 5 |
| 5 | | Ear o | E-0.0-3 | E |
| 01 18706831 | 02 18706832 | 03 18706833 | 04 18706834 | 05 18706835 |
| | | | | |
| المراجعة ا | | | Samo | Callina & |
| و م | E | 8 | 5 | ه ۱۰۰۰ م |
| 06 18706836 | 07 18706837 | 08 18706838 | 09 18706839 | 10 18706840 |
| | | | | |
| Sall Miller | | | م | |
| | E-00 | ج ا | 5000 | E 00 00 |
| 11 18706841 | 12 18706842 | 13 18706843 | 14 18706844 | S46 18707409 |
| | | | | |
| | | 500 | | |
| 0 | | | 5000 | |
| S47 18707410 | S48 18707411 | S49 18707412 | S50 18707413 | S51 18707414 |

SELEGT



SOLVER

A spoon specialized for pike fishing in shallow waters partially overgrown with grass. Thanks to a well-thought-out balance between the shape, metal thickness and lure dimensions, it demonstrates unique properties for fishing in difficult conditions. The moderate windage of the lure allows it to be slowly guided over the weeds, and at the same time it flies rather well when cast. This spoon has a unique game that attracts pike of any size: from a tiny "jack" to large trophy specimens.

| Model | WEIGHT, G | LENGTH, MM |
|-----------|-----------|------------|
| Solver 10 | 10 | 71 |
| | | |
| | | |
| | | |



HELI-X

The perfect spinner for fishing in the current. The fry shaped core is made out of heavy metal and has an asymmetrical shape, thus the lure holds the current well and can be cast quite far. Instead of the front loop, a swivel is installed on the lure's axis, which, together with the asymmetrical core, minimizes the twisting of the braid during fishing. The blade has a textured surface resembling fish scales and creating additional attractive light reflections in the water. Due to the design of this spinner, it can be used not only in the current: The Heli-X engages quickly into action even in stagnant water, and it can also be operated at a fairly slow speed — something that a passive predator will find very appealing. The main targets of this spinner are perch, pike, chub, asp and ide, as well as trout and grayling, should they be present in the waters you fish.

| Model | WEIGHT, G |
|-----------|-----------|
| Heli-X #0 | 3 |
| Heli-X #1 | 5 |
| Heli-X #2 | 7 |
| Heli-X #3 | 10 |








TURBO-II

The lure combines a spinner, a pilker and a rattlin, and simultaneously is something unique and unlike anything else. Heavy compact lead body in the form of a fish allows to make the farthest casts. The headwind, or sidewind, will not become an obstacle. This tail spinner uses a standard drop-like petal mounted on a swivel with a bearing, providing an easy launch and stable operation of the lure. Turbo-II can easily be called a bottom spinner. Because its main working horizon is the bottom areas. Another advantage of this lure – it does not spin the line at all. Recommended fishing period for this lure begins in the second half of spring and ends in late fall. The most popular trophy is certainly the perch. But it is also appropriate for catching zander, asp and other species of fish.

| Model | WEIGHT, G |
|--------|-----------|
| TRBN07 | 7 |
| TRBN10 | 10 |
| TRBN13 | 13 |
| TRBN17 | 17 |





V

FLASH

A small classic walker for perch and asp. Easy to manipulate, moves effortlessly from side to side, causing zigzags on the water surface. You can use two leading styles: medium-fast – wobbler will rotate smoothly and produce broad turns, and fast – walker will produce very sharp turns more or less at a same spot. With Flash you can successfully fish both on rivers, and on lakes. Often an active predator can be found on the spits and shallow waters, and it is worth fishing in the areas with grass. You can also use walker, if within the casting range you can see splashes of fry on the surface of the water. Just throw the bait there and the attack of a perch or other predator will not make you wait long.

| Model | LEN | IGTH, MM | WEIGHT, G | D ЕРТН, М | Ty | PE | FLOATING TYPE |
|--------------------|-----------------------|-----------------------|-----------------------|--------------------|-----------------------|--------------------|-----------------------|
| 70F | | 70 | 5.8 | Topwater | Wal | ker | Floating |
| | | | | | | | |
| 01 18703553 | 02 18703554 | 03 18703555 | 04 18703556 | 07 18703557 | 08 18703558 | 11 18703559 | 12 18703560 |
| | | | | | | | |
| 13 18703561 | 14 18703562 | 17 18703563 | 19 18703564 | 20 18703565 | 21 18703566 | 22 18703567 | 24 18703568 |

SPLASH

This popper can make your fishing trip very dynamic, emotional and unforgettable. It's great for attracting active perch, and it will also be good for catching pike amidst waterlilies. In the leading process, besides the splashes, the wobbler also splatters distinctively, additionally attracting a predator. Unlike the walker this lure can work the promising area more thoroughly. The popper gets attacked most often during the pause after a series of splatters with splashes. However, Splash also knows how to make walker-like zigzags. And this significantly increases the variety of conduct styles for its animation. Thanks to its streamlined shape and notable weight, the bait flies wonderfully.

| Mode | ı l | ENGTH, MM | WEIGHT, G | D ЕРТН, М | Т | YPE | FLOATING TYPE |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| 531 | = | 53 | 5.8 | Topwater | Po | pper | Floating |
| | | | | | | | |
| 01 18703538 | 02 18703539 | 03 18703540 | 04 18703541 | 07 18703542 | 08 18703543 | 11 18703544 | 13 18703545 |
| | | | | | | | |
| 14 18703546 | 19 18703547 | 20 18703548 | 21 18703549 | 22 18703550 | 23 18703551 | 24 18703552 | |



SPRINT

Miniature ultra-light crank. Offers a lot of applications, but its main focus is fishing for chub in small rivers. Wobbler holds the current and the given horizon well, and the color map was made with an emphasis on the strong and vivid fish. Except for the white predator, expect to meet a small perch or other small pike. And if you are fishing in the riffles of mountain rivers, trout will also appreciate this bait.

The Sprint is a suspender, providing more options for animation. In addition to the basic even conduct you can use a light twitching with small pauses. Such manipulation can provoke even a passive predator to attack.

| Model | | LENGTH, MM | WEIGHT, G | WEIGHT, G DE | | О ЕРТН, М Т ҮРЕ | | DATING TYPE |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-------------------------------|-----------------------|-----------------------|
| 35S | P | 35 | 2.5 | | 0.5 - 0.7 | Crank | 5 | Suspender |
| | | | | | | | | |
| 01 18703624 | 02 18703625 | 03 18703626 | 04 18703627 | 07 18703628 | 08 18703629 | 11 18703630 | 12 18703631 | 13 18703632 |
| 14 18703633 | 16 18703634 | 17 18703635 | 18 18703636 | 19 18703637 | 20 18703638 | 22 18703639 | 24 18703640 | |

DRASTIC

This minnow can catch practically all our local predators: perch, pike, asp, chub, ide, and even trout. Wobbler works wonderfully in standing waters and in moderate currents. It has a distinctive play, making it possible to successfully operate it in even conduction. But, nevertheless, the most effective manipulation for this type is, of course, twitching. During jerks Drastick imitates a wounded fry, but at intervals hovers wobbling in the water, it is at these moments the predator most frequently attacks a weakened fish.

The bait is equipped with a magnetic system of distant casting, making it possible to maximize effective fishing in the area. Map of colors for this model is selected so that you can easily find the desired color for any fish.


| Mod | EL | LENGTH, MM | W | EIGHT, G | D ЕРТН, | M | Түре | FLOA | TING TYPE |
|--------------------|--|-----------------------|-----------------------|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| 56 | SSP | 56 | | 3.1 | 0.7 - 1.0 |) | Minnow | Su | spender |
| | AND THE PARTY OF T | | | o diles | | | Secretary. | | |
| 01 18703519 | 02 18703520 | 03 18703521 | 04 18703522 | 06 18703523 | 07 18703524 | 08 18703525 | 11 18703526 | 12 18703527 | 13 18703528 |
| | | | | | | | | | |
| 14 18703529 | 16 18703530 | 17 18703531 | 18 18703532 | 19 18703533 | 20 18703534 | 21 18703535 | 22 18703536 | 24 18703537 | |


HAMSTER

A kind of "chubby" minnow with an active play and easy manipulation. It twitches well under jerks of varying intensity, and during pauses it floats attractively in the midst of water, provoking a bite. The working horizon of the lure is limited to depths of up to 1 meter, so it is most effective in shallow waters, along aquatic vegetation or near shallow spits.

Inside the lure is a magnetic long casting system, which, together with the aerodynamic shape of the lure, allows for great range and precision. The lure is equipped with high-quality BKK hooks distinguished by their sharpness and excellent strength.

| Model | LENGTH, MM | Weight, g | D ЕРТН, М | ТүрЕ | FLOATING TYPE |
|-------|------------|-----------|------------------|--------|---------------|
| 65SP | 65 | 6.2 | 0.6 - 0.8 | Minnow | Suspender |
| 75SP | 75 | 10.4 | 0.8 - 1.0 | Minnow | Suspender |







SELECT



REFLEX

It is essential that the angler's arsenal, apart from the minnow wobblers, should also include shads. Under certain conditions, this type can catch significantly better than the twitching minnows. Everything depends on what the predator feeds on at the moment. At steady conduct Reflex has a non-extensive play with frequent fluctuations. Therefore, the best leading style will be "stop and go" or short jerks with pauses. A gentle twitching makes the bait similar to a fidgety fish, realistically shimmering on the sides. That is why the pike reacts very willingly to this bait. In local conditions, the primary place for use are various types of shallow waters, reedbeds, old rivers, small streams and reservoirs, as well as small rivers with a moderate current.

The Reflex is equipped with a magnet system for farther and more precise casting.

| Model | LE | NGTH, MM | WEIGHT, G | D ЕРТН, М | | Түре | FLOATING TYPE |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| 70SP | | 70 | 8.7 | 1 - 1.5 | : | Shad | Suspender |
| | | | | | | | |
| 8 | 57 | 5 | | 8 | | | 5 |
| 01 18706906 | 02 18706907 | 03 18706908 | 04 18706909 | 06 18706910 | 07 18706911 | 12 18706912 | 13 18706913 |
| 20 | 23 | 24 | 26 | 32 | 33 | 34 | 35 |
| 18706914 | 18706915 | 18706916 | 18706917 | 18706918 | 18706919 | 18706920 | 18706921 |
| S46 | S47 | S48 | S49 | | | | |


INSIDER

This is probably the most versatile twitch type wobbler for pike. On jerks Insider chaotically moves from side to side, sometimes rotating by 180°. He is simple in the manipulation and works well at any pace of jerk style conduction, both with aggressive and gentle twitching. It has excellent casting characteristics, not only because of the elongated compact shape, but also because of the far casting system. The Insider is a suspender, it hovers in the water at a break and keeps nearly horizontal position. Apart from pike, perch of various sizes react well to this type of bait. The main places of application of the Insider are small ponds and ditches with a depth of 1.5-3 meters, and it is desirable that there is grass nearby. And size 90 is also suitable for zander fishing in the night on shallow water spits and in the coastal waters.

This model is available in two sizes: 90SP and 110SP.

| Model | LENGTH, MM | WEIGHT, G | D ЕРТН, М | Түре | FLOATING TYPE |
|-------|------------|-----------|------------------|--------|---------------|
| 90SP | 90 | 11 | 0.8 - 1.0 | Minnow | Suspender |
| 110SP | 110 | 17.2 | 0.8 - 1.2 | Minnow | Suspender |









DEMENTOR

Wobbler, that easily and confidently provokes the predator to attack, is good for fishing in the wide areas of water reservoirs, as well as on small rivers or lakes. At a steady lead Dementor has its own pronounced play, but for greater efficiency it is better to use twitching. When jerked moves in different directions, the sides are convulsively flickering, like a wounded fish, and at a pause hovers in the water. It is at this moment that the attack occurs most often. The Dementor does not always need an aggressive and sharp twitch, sometimes short, easy jerks with very long pauses are more effective. This animation is able to attract a pike even from significant depths.

The Dementor has three metal balls inside, shifting from the working position towards the tail while casting, thus changing the center of the weight. This makes the wobbler fly well and is very suitable for fishing in large bodies of water. During the conduction of the lure, the balls produce the effect of the rattle, which makes the lure even more noticeable in the water.

| Model | LENGTH, MM | WEIGHT, G | D ЕРТН, М | Түре | FLOATING TYPE |
|-------|------------|-----------|------------------|--------|---------------|
| 130SP | 130 | 21 | 1.5 - 1.8 | Minnow | Suspender |



HUSTLER

A large lure for pike fishing. Still, despite its size, it confidently attracts both large and small fish up to 1 kg. The lure has a unique flat shape resulting in a distinctive play. With a straightforward, even retrieve it actively rolls from side to side, while its most attractive action occurs during twitching: going to the sides and floating in one place with swaying sideways. To improve the flyability of the lure it is equipped with a long cast system that, despite the lure's windage, stabilizes it in the air and ensures it flies to a desired spot. The Select Hustler is equipped with high-quality BKK treble hooks with power sufficient to land large fish.

| Model | LENGTH, MM | WEIGHT, G | D ЕРТН, М | Түре | FLOATING TYPE |
|-------|------------|-----------|------------------|--------|---------------|
| 160SP | 160 | 32 | 1.7 - 1.9 | Minnow | Suspender |













BASHER

Deepwater trolling lure for pike, zander and catfish. However, the lure has good aerodynamic characteristics, so it is also suitable for casting into deep water areas while fishing from a boat. This lure has a wide-ranging play with transverse sway along its axis, thus creating vibrations that attract fish from a long distance and provoking them to attack. A noise chamber inside the lure makes it easier for predators to detect it at greater depths and in poor visibility. Sharp and strong BKK hooks are good at hooking the trophy and firmly securing it even during long retrieves from a great distance.

| Model | LENGTH, MM | WEIGHT, G | D ЕРТН, М | Түре | FLOATING TYPE |
|-------|------------|-----------|------------------|--------|---------------|
| 90F | 90 | 14 | dives to 4.0 | Minnow | Floating |
| 110F | 110 | 23 | dives to 6.0 | Minnow | Floating |







DIVER

A highly popular lure among anglers who prefer to catch predators trolling from a boat. It has a decent sinkage thanks to its long and wide body, thus making it perfect for fishing deeper waters where large fish live. The best way to retrieve this wobbler is to guide it evenly, so that it performs smooth vibrations in the water mass, and adding slight pulls or occasional contact with the bottom provokes the predator to attack. There is a noise chamber inside the lure helping fish spot it faster at great depths. High-quality BKK hooks distinguished by their sharpness and strength guarantee successful bites and minimize the number of trophy escapes. The Select Diver is applicable for catching almost any predator that lives at great depths, the main ones being pike, zander and catfish.

| Model 130F | Length, M | WEIGHT | | DEPTH, M | Type Minnow | FLOATING TYPE Floating |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|--|
| | | | | | | Thousand the second sec |
| 01 18707016 | 02 18707017 | 03 18707018 | 04 18707019 | 07 18707020 | 12 18707021 | 13 18707022 |
| | | | | | | |
| 23 18707023 | 24 18707024 | 26 18707025 | 30 18707026 | 32 18707027 | 33 18707028 | 34 18707029 |
| | | | | | | |

18707030

S46

18707343

S48

18707344







REGENT


This lure is used for deep water fishing. It is thin and heavy, so it flies far when cast, sinks quickly and holds the horizon well during retrieval. The lure has a striking vibration both during even guidance and with jerks, moreover, when paused it sinks erratically resembling the behavior of a wounded fry. That's how it provokes a predator to attack.

The Regent Vib is perfect for catching pike, zander and catfish on the bottom using jigging action, and its use is not limited to boat fishing, it can also be effective in winter during vertical ice fishing.

| Model | LENGTH, MM | WEIGHT, G | D ЕРТН, М | Түре | FLOATING TYPE |
|-------|------------|-----------|------------------|---------|---------------|
| 70S | 70 | 15 | - | Rattlin | Fast sinking |
| 80S | 80 | 23 | - | Rattlin | Fast sinking |












MJ-1


Offset hook designed for micro soft lure. Available in small sizes for the equipment of small grubs, soft lure shads, worms, which are often used in ultra-light fishing. Manufactured from high-carbon steel with laser-sharpened point.





WH-11


The hook is used to equip thin and narrow bodied soft lures. A slight bend is evenly positioned against the body of the lure and at any moment after the bite it quickly releases the tip for a solid hooking. Manufactured of high-strength high-carbon steel with forged additional sides at the bending spot.





WH-110

A series of offset hooks with a wide bend and a point directed towards the center. This shape is perfect for grubs and small soft lure shads. The specific feature of this model is an enlarged diameter of the eye, due to which the offset moves freely on the sinker regardless of the thickness of the wire used, and can also be fastened through the guiding ring. WH-110 is suitable for pike, perch, zander and other local waters predator fish fishing.




SELECT





WH-22


Offset hook designed for small size soft baits. Its shape is designed in a way to fit grubs, soft lure shads and creatures with a short and moderately high body perfectly. The point of the hook, directed downwards, adheres to the bait, thus eliminating the possibility of getting snagged by underwater obstacles.





WH-33

Offset hook with a wide bend and a point directed towards the middle. This shape is ideal for baits with a short body – grubs and small soft lure shads. The WH-33 is used to catch pike, perch, zander and other predatory fish of local waters.








WH-91


Offset hook with a deep barb. Perfect for equipping soft lures with a large body. Thus you get a "no-latch" mounting, which will be useful when fishing in the roots, grass and on the banks, overgrown with duckweed. The WH-91 will perform well even with the biggest of fish.





WH-93

Offset hook for equipping large soft lures. The broad radius of the bend does not interfere with the penetration of the hook point as the fish bites. The WH-93 is made of highquality high-carbon steel with forged edges, enabling it to withstand great stresses and maintain sharpness for a long time.




SELEGT





WH-190


Offset hook of versatile shape. Due to the use of a smaller diameter wire, it allows the lure to move more naturally under water, pierces the fish easier and at a high pressure can unbend, thus avoiding loss of the whole tackle. Nevertheless, its strength is sufficient to firmly hold a large fish. The WH-190 are manufactured from high-carbon steel and have a laser sharpened point.





MJ-59 MICRO JIG SPECIAL

Manufactured from high-carbon Japanese steel. In the process of their manufacture and refinement cryogenic hardening, zonal wire forging, laser sharpening and double oxidizing are used.








JH-30


Used for equipping any not overly bulky soft lures – worms, twisters and slugs. A large single hook is more effective at capturing fish in comparison to offset hooks. At the same time, it avoids getting stuck in underwater obstacles more easily than double or treble hooks.





DH-21

Thanks to zonal forging and cryogenic hardening, it was possible to significantly reduce the brittleness of the shank and to increase the point firmness. Double oxidizing of the DH-21 prolongs their service and protects them from corrosion. Perfect for the creation of various fishing equipment.




SELEGT





DH-22L

Model with an increased shank length, intended for the installation of soft lures. The double hooks are made of high strength carbon steel, have a laser sharpened point and a sufficient capacity for holding large fish. The double oxidized coating of the hooks protects them from oxidation even during constant use. The DH-22L is ideal for fishing with soft lures and jig head for pike, zander, perch and catfish.




7 cm





TWH-22L NEW

When creating this hook, we considered many subtle aspects essential for the attack of a predator. This includes the sting sharpness and the well-formed barb, both critical for a secure hooking and fish retention. The wire is of optimal thickness: relatively thin and elastic for easy installation, but sturdy enough not to bend during reeling. We also took into consideration the length of the shank for each specific size, so that the sting comes out of the lure at the proper distance when attacked. Another distinctive feature of this double is the shape of the eye. It is somewhat narrowed and elongated, so when installed, it passes easily through a small thin bait and does not tear it from the inside. The size range (#12 - #6/0) will allow you to choose the perfect size of the double for both micro jig lures and large soft lures for pikes.





SELEGT









TH-36

The treble hooks are made of high-carbon Japanese steel with the use of zonal forging and cryogenic hardening. Thus, it was possible to increase the toughness of the point and significantly reduce the brittleness of the shank. A double oxidation protects against corrosion and prolongs the service time of the hooks.

The TH-36RD comes in red.



4 cm





"VUHASTYK" BALL SINKER

Ball lead sinker with removable frame. Used for equipping soft lures during jig fishing. Modular construction allows to quickly replace the sinker without using the split rings.


As a resilient steel wire is used in the manufacture, the possibility of its spontaneous unbending in the process of fish withdrawal is almost eliminated.



| WEIGHT, G | QUANTITY, PCS/PACK | CODE |
|-----------|--------------------|----------|
| 1 | 50 | 18703796 |
| 1.5 | 50 | 18703797 |
| 2 | 50 | 18703798 |
| 3 | 50 | 18703799 |
| 4 | 50 | 18703800 |
| 5 | 50 | 18703801 |
| 6 | 50 | 18703802 |
| 7 | 50 | 18703803 |
| 8 | 50 | 18703804 |
| 10 | 50 | 18703805 |
| 12 | 50 | 18703806 |
| 14 | 50 | 18703807 |
| 16 | 25 | 18703808 |
| 18 | 25 | 18703809 |
| 20 | 25 | 18703810 |
| 22 | 25 | 18703811 |
| 24 | 25 | 18703812 |
| 25 | 25 | 18703813 |
| 26 | 25 | 18703814 |
| 28 | 25 | 18703815 |

"VUHASTYK"-SCREW BALL SINKER

Used in fishing with softbait and jig head as soft lure equipment. The modular construction allows for quick replacement of the load without the use of split rings. The screw firmly secures and holds the soft lure even after several bites of the fish. It is best suited if the bait is equipped with a treble hook or a stinger gear with hooks, located in the back.



| WEIGHT, G | QUANTITY, PCS/PACK | CODE |
|-----------|--------------------|----------|
| 3 | 50 | 18703818 |
| 4 | 50 | 18703819 |
| 7 | 50 | 18703822 |
| 8 | 50 | 18703823 |
| 12 | 50 | 18703825 |
| 14 | 50 | 18703826 |
| 16 | 25 | 18703827 |
| 18 | 25 | 18703828 |
| 20 | 25 | 18703829 |
| 22 | 25 | 18703830 |
| 24 | 25 | 18703831 |
| 25 | 25 | 18703832 |
| 26 | 25 | 18703833 |
| 28 | 25 | 18703834 |
| 30 | 25 | 18703835 |
| 35 | 25 | 18703836 |
| 40 | 25 | 18703837 |

KULYA (BULLET) SINKER

Perfectly suited for fishing in conditions of increased risk of hook snagging. Also it is possible to attach an offset hook to the "Kulya" sinker without using a guide ring. The brace is made of stainless steel wire.



| Weight, g | QUANTITY, PCS/PACK | CODE |
|-----------|--------------------|----------|
| 5 | 25 | 18703787 |
| 6 | 25 | 18703788 |
| 8 | 25 | 18703790 |
| 10 | 25 | 18703791 |
| 12 | 25 | 18703792 |
| 14 | 25 | 18703793 |
| 18 | 25 | 18703794 |
| 20 | 25 | 18703795 |
| | | |



JIG-RIG SINKER

Due to the retracted shape, it passes well through bottom obstacles, in combination with the offset hook can be used as a loose jig while fishing in the roots, rocks, etc. Equipped with built-in swivel that prevents line entanglement.

| Weight, g | QUANTITY, PCS/PACK | CODE |
|-----------|--------------------|----------|
| 3 | 25 | 18703766 |
| 5 | 25 | 18703767 |
| 14 | 25 | 18703770 |
| 18 | 25 | 18703771 |
| 20 | 25 | 18703772 |
| 22 | 25 | 18703773 |
| 26 | 25 | 18703774 |
| 28 | 25 | 18703775 |



DROP-SHOT SINKER

It has a good ability to pass through the roots, rocks and other obstacles. An additional advantage of this sinker is its good performance. The Drop-shot is equipped with an integrated swivel with a loop designed in the form of a clamp allowing to regulate the distance to the hook.

| WEIGHT, G | QUANTITY, PCS/PACK | Code |
|-----------|--------------------|----------|
| 3 | 25 | 18703776 |
| 5 | 25 | 18703777 |
| 8 | 25 | 18703778 |
| 10 | 25 | 18703779 |
| 14 | 25 | 18703780 |
| 18 | 25 | 18703781 |
| 20 | 25 | 18703782 |
| 22 | 25 | 18703783 |
| 26 | 25 | 18703784 |
| 28 | 25 | 18703785 |



TUNGSTEN JIG RIG (CONE STICK)

Specific elongated tungsten jig rigs. The stick shape makes it possible to cast the lure incredibly far as it shows minimal air resistance. Even if the wind is strong, it becomes much easier to cast the lure on such a rig. This is especially advantageous in competitions, when every extra meter can be crucial to your victory.

| WEIGHT, G | QUANTITY, PCS/PACK | CODE |
|-----------|--------------------|----------|
| 1.8 | 4 | 18707088 |
| 3.5 | 4 | 18707092 |
| 5.3 | 4 | 18707093 |
| 7.1 | 4 | 18707089 |
| 10.6 | 2 | 18707090 |
| 14.2 | 2 | 18707091 |





TUNGSTEN JIG RIG (TEAR DROP)

Specific tungsten jig rigs that have become quite popular among fishing sportsmen. The core advantage of this tackle is the specific bait delivery and the ability to quickly replace it. Unlike lead sinkers, tungsten is denser, has a smaller volume and, accordingly, flies further. It is also more sonorous, which simplifies the control of the retrieve.

| WEIGHT, G | QUANTITY, PCS/PACK | CODE |
|-----------|--------------------|----------|
| 0.9 | 4 | 18707079 |
| 1.3 | 4 | 18707080 |
| 1.8 | 4 | 18707081 |
| 2.7 | 4 | 18707086 |
| 3.5 | 4 | 18707087 |
| 5.3 | 4 | 18707082 |
| 7.1 | 4 | 18707083 |
| 10.6 | 2 | 18707084 |
| 14.2 | 2 | 18707085 |



TUNGSTEN SINKER "CHEBURASHKA"

Serves for equipping soft and other jig baits for predatory fish hunting. Tungsten ball sinker is made of tungsten, which has a greater net weight and increased firmness in comparison with their lead counterparts. At the same mass it has smaller dimensions, which in turn affects the throwing range and the speed of sinking into the water.

| 147 | | |
|-----------|--------------------|----------|
| WEIGHT, G | QUANTITY, PCS/PACK | Code |
| 0.65 | 5 | 18707463 |
| 1 | 5 | 18707464 |
| 1.5 | 5 | 18707465 |
| 2 | 5 | 18707466 |
| 2.5 | 4 | 18707467 |
| 3 | 4 | 18707468 |
| 3.5 | 4 | 18707469 |
| 4 | 3 | 18707470 |
| 5 | 3 | 18707471 |
| 6 | 2 | 18707472 |
| 7 | 2 | 18707473 |
| 8 | 2 | 18707474 |
| 9 | 1 | 18707475 |
| 10 | 1 | 18707476 |
| 12 | 1 | 18707477 |
| 14 | 1 | 18707478 |
| 16 | 1 | 18707479 |
| 18 | 1 | 18707480 |
| 20 | 1 | 18707481 |
| 22 | 1 | 18707482 |
| 24 | 1 | 18707483 |
| 26 | 1 | 18707484 |
| 28 | 1 | 18707485 |
| 30 | 1 | 18707486 |
| | | |





EXTRACTOR

Typically used by spinning rod fishermen to safely remove the hook from the fish's mouth. It allows to avoid hands tearing against the teeth of pike if the fish has grasped the bait deeply, and gently detach the hook without harming the trophy.

Made of durable high-carbon steel with soft anti-slit linings on the handles. Special toothed lock allows to secure the hook reliably during removal.

| Model | DIMENSIONS, CM | WEIGHT, G | CODE |
|-----------|----------------|-----------|----------|
| FRCP-RH14 | 14 | 33 | 18703643 |
| FRCP-RH16 | 16 | 42 | 18703644 |
| FRCP-RH18 | 18 | 48 | 18703645 |



FISH GRIPPER

Manufactured from high-strength plastic. It reliably fetches the lip of the fish and does not allow even the slightest loosening of the fixation. The grip is floating, but for convenience a hand strap is provided.

| Model | DIMENSIONS, CM | WEIGHT, G | CODE |
|-----------|----------------|-----------|----------|
| SI -I G08 | 210 | 75 | 18703875 |



PLIERS

Multi-functional pliers, which can easily penetrate not only the hair, but also the cord and fluorocarbon. They have a highly sharpened cutting edge and a needle to detangle the line.

Will be at hand when fishing and during pre-fishing preparations.

| Model | LENGTH, MM | CODE |
|---------|------------|----------|
| SL-Z03B | 52 | 18703872 |
| SL-Z030 | 52 | 18703873 |





SL-Z030

SCISSORS

Versatile scissors, capable of cutting line, fluorocarbon and cord. Comfort grip anti-slip handles are made of ABS plastic. Sharp toothed blades are made of high quality stainless steel.

The SL-SJ05 model has a foldable design and therefore is more compact in its carrying form (92 mm).

| Model | DIMENSIONS, CM | Code |
|---------|----------------|----------|
| SL-SJ02 | 130 | 18703867 |
| SL-SJ03 | 95 | 18703868 |
| SL-SJ05 | 102 | 18703869 |





SL-SJ05



MULTITOOL

Portable Multitool, which combines 10 tools (knife, toothed knife, wire cutters, slotted and Phillips screwdriver, pliers, sharpener, bottle opener, awl, and a split ring unclenching tool). Needed in fishing, and in everyday life. Compact and easy to use. Manufactured from durable and strong stainless steel.

| Model | DIMENSIONS, CM | CODE |
|---------|----------------|----------|
| SL-MT01 | 100x45 | 18703876 |



SL-YP05 PLIERS

Multi-functional pliers. Crafted from strong stainless steel, featuring ergonomic handles, including a folding knife in one of them. Also features a folded toothed knife, wire cutters, and a tool to unclench split rings.

The pliers will be useful in removing the hook from the mouth of the fish, keeping your hands safe from sharp teeth.

| Model | DIMENSIONS, CM | CODE |
|---------|----------------|----------|
| SL-YP05 | 162×53 | 18703870 |



SL-YP09 PLIERS

These fishing pliers will make it easy to work with the smallest of split rings, and will also be useful if you need to remove the hook from the mouth of a fish. The pliers are made of strong and durable stainless steel and have practical, anatomically shaped handles which can be secured for the period when the tool is not in use. Also may act as a wire cutter.

| Model | DIMENSIONS, CM | CODE |
|---------|----------------|----------|
| SL-YP09 | 125×47 | 18703871 |



MFP-02 PLIERS

First and foremost, these are classic high-carbon steel pliers with a retracted working part for effortless hook extraction from the fish's mouth. There is a special hook at the end to unclench the split rings, allowing you to easily replace the treble hook on the bait. Also function as a clipper and have a gadgets for crimp tubes fixation for self-made wire leads. The spring-loaded handles can easily be operated with one hand and are equipped with ergonomic pads made of non-slip rubber.

| Model | DIMENSIONS, CM | CODE | Код |
|--------|----------------|------|----------|
| MFP-02 | 175 | 150 | 18707094 |



SELEGT

7

MAGNET WITH CARABINER

A small but very useful fishing tool. It makes it easy to attach pliers, lipgrip, extractor, scales, or other fishing tools to a bag or a belt. The maximum load the magnet can bear may reach up to 4 kg.

| Model | DIMENSIONS, CM | CODE |
|--------|----------------|----------|
| SL-MGN | 110 | 18703877 |



RETRIEVER

Plastic retriever with aluminum carabiner on one end and a ring on the other will help secure the equipment to your belt, bag or boat. Perfect for attaching pliers, lipgrip, extractor, or other fishing tools.

| Model | DIMENSIONS, CM | CODE |
|--------|----------------|----------|
| SL-RCR | 120 | 18703874 |



LURE BOX

Lure Boxes are optimized for storage of baits and fishing accessories. They are made of practical plastic which can withstand moderate shock impacts and does not react with any other silicone. A broad range of models in different sizes and various combinations of inner compartments will help you select the box for the storage of almost any size baits.





PROFISH BOX

Functional organizer for baits and minnows of small sizes. It is a rigid two-sided case, solid plastic body of which protects the lures from damage during transportation. Four EVA padding strips on both sides of the case are secured with Velcro. They are adjustable for any size of bait. Internal silicone partition does not allow the lure to move across the box, get tangled between each other and scratch the coating.

There is a set of interchangeable dividers, that you can use to replace the worn out ones or add extra to your box.



REVERSIBLE

A box for convenient storing and transporting minnows. The double-sided design and triangle compartments allow a large number of baits to be stored in the box. Moreover, treble hooks fit in a specialized socket and do not scuff the coating of the minnows. It has ventilation holes through which the moisture accumulated after fishing will evaporate preventing oxidation of the hooks. Reversible is made of durable and elastic plastic, equipped with reliable lockers.





T

TERMINAL TACKLE BOX

Designed to store a variety of fishing accessories and equipment elements: hooks, carabiners, swivels, split rings, etc. Due to the use of modern plastics, it does not lose its functionality for a long time and is easy to use. The Terminal Tackle Box series includes several models, each of which has its own advantages for storing various accessories.





WAIST BOX NEW



A handy waist box for spin fishing, attached to the waist with a belt. It is a perfect choice for light and ultralight fishing or wading anglers. The box has an anatomical smooth curve to fit the body and does not restrict the angler's movements. It has two main compartments with lids for different types of lures or small accessories. There are also two small compartments for leashes, hooks or clasps in the lid of the box.

SLXD-37

18704200



25.5 x 11 x 9.5 cm

BOXES

The boxes are used to transport and store fishing tackle and accessories. The Tackle Box model has a folding shelf design to store larger items in the bottom and lures, sinkers and other tackle in the upper compartments. The Tackle System model consists of a spacious upper compartment that can hold reels, spools and other gear, and a compartment with slide-out boxes perfect for lures and small tackle parts. Great for storing and transporting a large amount of fishing tackle. Both boxes are made of shock- and scratch-resistant plastic.

Tackle Box

SLHS-304

18703061



29.4×18.7×15 cm

Tackle Box

SLHS-305

18703062



Tackle System

SLHS-320

18703071



FOLDING BAKKAN BAG

The Folding Bakkan can be used for any kind of fishing to store and carry tackle, gear, accessories, or even bait and groundbait. Made of EVA material with sealed seams, it is extremely durable and reliable, waterproof and is easy to clean. This design protects the contents of the bag from getting wet in the rain, and makes it safe to place the bag on wet ground. The bakkan has one spacious compartment, and the lid is closed with a reinforced oversized zipper. There is also a scale on the lid to assist in measuring the length of the leash or the caught fish. The bag is equipped with an adjustable shoulder strap for easy carrying. When the bag is not needed, the elasticity of the material allows it to be folded compactly.





| Model | SIZE, CM | CAPACITY, L | CODE |
|----------|----------|-------------|----------|
| SL-FB-17 | 34x22x23 | 17 | 18703971 |
| SL-FB-21 | 36x22x25 | 21 | 18703972 |
| SL-FB-26 | 40x25x26 | 26 | 18703973 |
| SL-FB-34 | 44x26x28 | 34 | 18703974 |
| SL-FB-45 | 50x30x30 | 45 | 18703975 |



ROD TUBE

Universal low-cost tube for rod transportation. Is extra thick at both ends of the tube to protect the rod from damages. Equipped with a zipper and a handle for easy use.

| Size, CM | Code |
|----------|----------|
| 110x7.5 | 18703991 |
| 120x7.5 | 18703992 |
| 130x7.5 | 18703993 |
| 150x7.5 | 18703994 |
| 150x11 | 18703995 |







SEMI HARD ROD CASE

The case has a semi-rigid body with a plastic insert covered with durable synthetic fabric. A full-length zipper makes it easy to stow your rods inside. A protective cap is installed at the bottom to further protect the tackle, prolong the durability of the fabric and allow you to safely place the case on any ground. The front side is decorated with high-quality brand logo embroidery. The case can be carried by the handle or on the shoulder with the help of a wide adjustable strap.

| Model | SIZE, CM | Code |
|-------------|----------|----------|
| SL-SHRC-125 | 125x10 | 18704020 |
| SL-SHRC-135 | 135x10 | 18704021 |
| SL-SHRC-145 | 145x10 | 18704022 |







Color

Black

Black

Gray

Gray

Black

Black

White/gray

Black/gray

Black/gray

Black/gray

Black/gray

Black/red

Black/red

CODE

18702993

18703492

18702994

18703493

18702995

18703494

18703497

18703495

18703496

18703885

18703886

18703883

18703884



GLOVES

The gloves protect your skin from sunlight and wind exposure while fishing. They are made of soft and elastic fabric and have a textured anti-slip coating on the palms for a secure grip on the rod while fishing.

The Pike model was created to comfortably and safely take the fish out of the water and to hold it securely while removing the lure. The gloves are made of dense fabric with a rubberized outer layer that protects your hands from getting wet and, to some extent, from being cut by pike teeth. Sold separately for the right and left hand.

Model

Basic SL-GB01

Basic SL-GB01

Basic SL-GB02

Basic SL-GB02

Master SL-GM

Master SL-GM

Swift SL-GSW

Viper Plus SL-GVP

Viper Plus SL-GVP Nitro SL-NTR

Nitro SL-NTR

SL-PK-Left

SL-PK-Right

SIZE

М

М

М

L

Free size

Μ

М









Basic SL-GB01

Basic SL-GB02







Master SL-GM

Viper Plus SL-GVP







SL-PK




Nitro SL-NTR

SUNGLASSES

The polarized Select sunglasses are a perfect combination of modern style and sun protection. The UV 400 lenses fully protect your eyes from harmful ultraviolet radiation, while the anti-reflective properties enhance your visibility below the water surface. Some eyewear models have ASL coating, making the surface of the lenses more resistant to scratches and thus extending their service life. The design matches beautifully with fishing equipment, and a wide range of frame shapes and colors offers a perfect fit for every angler. The majority of models come with a lens cleaning cloth and a hard case with a carabiner.

- * floating models
- ** have ASL coating
- *** models without a case



SELECT





SL-Strap



| Mode | Code |
|-------------|----------|
| CL1-MG | 18702997 |
| CS1-MBG-RR | 18702471 |
| CS2-MBG-GR | 18702472 |
| CS3-MBO-GR | 18702473 |
| CS4-MBO-RR | 18702474 |
| CS5-FL-RR | 18702480 |
| CS6-FL-GR | 18702481 |
| FS1-MBB | 18702477 |
| FS2-SBB-RR | 18702478 |
| SPS1-SBB | 18702482 |
| SPS2-SBG-Y | 18702483 |
| CS7-MCG-IBR | 18703859 |
| CS8-SCG-IBR | 18703860 |
| FS3-MB-BR | 18703861 |
| SPS3-SBY | 18703862 |
| SPS3-SWB-BR | 18703863 |
| SP4-MBG-WM | 18703864 |
| SP4-MBB | 18703865 |
| FSN1-MBB-GR | 18703866 |
| FS4-CG-GR | 18704208 |
| FS5-SB-BR | 18704209 |
| CS10-MB-S | 18704210 |
| CS11-BB-BR | 18704211 |
| CLP1-B | 18704212 |
| CLP2-Y | 18704213 |
| CS12-MW-PR | 18704214 |
| CS13-MB-BR | 18704215 |
| CS9-FL-GR | 18704216 |
| SL-Strap | 18702998 |
| | |

TOWEL

During fishing day a hand towel is often used to dry hands after contact with fish or water. The towel has a loop with a clip for easy attachment to a belt or some kind of gear. The towel features a spacious pocket enabling you to wipe your hand on both sides in one quick motion. It is made of synthetic Microfiber material that is highly absorbent, dries quickly and is easy to care for.

| Model | SIZE, CM | CODE |
|-------|----------|----------|
| MFTP | 20x30 | 18704018 |

